

S2C-H10



S2C-H10 - Auxiliary Contact

General Information

Extended Product Type	S2C-H10
Product ID	2CDS200970R0002
EAN	4016779645522
Catalog Description	S2C-H10 - Auxiliary Contact
Long Description	Indication of the position of the device's contacts. S2C-H01 is the opening device and S2C-H10 the closing device. Compared to the S2C-S/H6R, the S2C-H10 entails less cost and many practical benefits. It can be fitted at the bottom of the MCBs and RCDs and is thus much more convenient for retrofitting than the side-mounted device because not all MCBs have to be removed from the rail first. And even when the MCBs affected are connected to a busbar, they do not have to be removed. 50% space can be saved. Suitable for MCBs S200 series, electronic RCBOs DSE200 series.

Ordering

EAN	4016779645522
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensions

Product Net Width	17.4 mm
Product Net Height	21.2 mm
Product Net Depth / Length	23.1 mm
Product Net Weight	0.008 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	20 mm
Package Level 1 Height	125 mm
Package Level 1 Depth / Length	106 mm
Package Level 1 Gross Weight	0.012 kg
Package Level 1 EAN	4016779645522
Package Level 2 Units	60 piece
Package Level 2 Width	140 mm
Package Level 2 Height	275 mm
Package Level 2 Depth / Length	433 mm
Package Level 2 Gross Weight	2.6 kg

Package Level 2 EAN

4016779830393

Environmental

RoHS Status

Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information

Accessory Type	Auxiliary Contact
Function	Auxiliary Contact
Power Loss	0,5 W
Product Main Type	S2C
Product Name	Auxiliary Contact
RoHS Date	0335
Standards	GB14048.5 CSA 22.2 No. 235 UL 1077
Suitable For	S200 S200M S200MT S200MUC S200P S200S SD200
Suitable for Product Class	Miniature Circuit Breaker Residual Current Device

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK106930A8017
Declaration of Conformity - CE	2CDK400628D2701
Environmental Information	2CDK400571D0201
Instructions and Manuals	GHS2007009P0008
RoHS Information	2CDK440032D0203

Classifications

ETIM 4	EC001286 - Auxiliary contact unit for distribution board
ETIM 5	EC001286 - Auxiliary contact unit for distribution board
ETIM 6	EC001286 - Auxiliary contact unit for distribution board
ETIM 7	EC001286 - Auxiliary device for distribution board devices
UNSPSC	39121614
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	7.0 27143502

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories → Auxiliary / Signal Contacts

