


LiteBox[®]
UNIVERSAL

LiteBox[®]

CROSSOVER GUIDE

LiteBox® FEATURES AND OPTIONS



MULTIPLE SIZE AND CEILING ACCOMODATIONS

PATENTED TRIM RETENTION

**AIRSHIELD™ RATED FOR STRICT GOVERNMENT
AIR REQUIREMENTS**

NEW PRO-NAIL™ BAR HANGERS

UNIQUE FLEXIBILITY

HIGH QUALITY TRIM CONSTRUCTION

SIMPLER WIRING

Prescolite® Crossover Guide LiteBox® Universal to LiteBox

6" UNIVERSAL INCANDESCENT HOUSINGS (NON-IC):

| CATALOG NO. | DESCRIPTION |
|-------------|--|
| PBX | 6" Incandescent, Standard Non-IC rated |
| RMN | 6" Incandescent, Remodel Non-IC rated |

6" LITEBOX® HOUSINGS:

| CATALOG NO. |
|---------------|
| DBX |
| RMNICD |

6" UNIVERSAL TRIMS:

| CATALOG NO. | DESCRIPTION |
|-----------------|---|
| TB10 | Black baffle |
| TB11 | Black baffle |
| TB13 | Black baffle |
| TBW13 | Shallow White baffle |
| TB15 | Deep Black baffle |
| TBW15 | Deep White baffle |
| TB16 | Black baffle with clear reflector |
| TB81 | Black baffle |
| TBW81 | White baffle |
| TO1 | Open trim - white |
| TO1PB | Open trim - polished brass |
| TO2 | Open trim - white |
| TO2 PB | Open trim - polished brass |
| TO4G | Open trim - gold |
| TO4S | Open trim - clear |
| TO8 | White reflector trim |
| TO70B | Black Alzak reflector |
| TO70G | Gold Alzak reflector |
| TO70S | Clear Alzak reflector |
| TO71B | Black Alzak reflector |
| TO71G | Gold Alzak reflector |
| TO71S | Clear Alzak reflector |
| TO72G | Gold Alzak reflector 75W BR30/PAR30L |
| TO72S | Clear Alzak reflector |
| TO78S | Clear Alzak reflector with black baffle |
| TO83G | Gold Alzak reflector |
| TO83S | Clear Alzak reflector |
| TA20 | Adjustable eyeball - white |
| TA20 PB | Adjustable eyeball - polished brass |
| TA21 | Adjustable eyeball - white |
| TA21 PB | Adjustable eyeball - polished brass |
| TA21WS | Adjustable eyeball - white w/gasket |
| TA30B | Adjustable - black anodized |
| TA30C | Adjustable - clear anodized |
| TA30BF | Adjustable eyeball with black baffle |
| TA30WBF | Adjustable eyeball with white baffle |
| TA38C | Adjustable - clear anodized |
| TA38G | Adjustable - gold anodized |
| TA38BF | Adjustable with black baffle |
| TA38WBF | Adjustable with white baffle |
| TA38CMFC | Adjustable w/American Matte |

6" LITEBOX® TRIMS:

| CATALOG NO. |
|--------------|
| TB61 |
| TBW61 |
| TB60 |
| TB61 |
| TB61 |
| TB60 |
| TBW60 |
| TO6 |
| TO6 |
| TO6 |
| TO60B |
| TO60G |
| TO60C |
| TO60B |
| TO60G |
| TO60C |
| TO60G |
| TO60C |
| TA60 |

Prescolite® Crossover Guide LiteBox® Universal to LiteBox

6" UNIVERSAL INCANDESCENT (NON-IC) TRIMS (CONT.):

| CATALOG NO. | DESCRIPTION |
|------------------|--|
| TA85 | Regressed eyeball with black ball and steps |
| TAW85 | Regressed eyeball with white ball and steps |
| TSC30B | Sloped ceiling trim with black Alzak reflector |
| TSC30C | Sloped ceiling trim with clear Alzak reflector |
| TSC30G | Sloped ceiling trim with gold Alzak reflector |
| TSC30BF | Sloped ceiling trim with black baffle |
| TSC30WBF | Sloped ceiling trim with white baffle |
| TSC38BF | Sloped ceiling trim with black baffle |
| TSC38WBF | Sloped ceiling trim with white baffle |
| TW41 | Wall washer with black baffle and clear reflector |
| TW43 | Dual Alzak reflector with black baffle |
| TW44S | Clear Alzak wall wash downlight |
| TO3 w/PBX | Heat lamp |
| TL1 | Drop opal Lexan® shower light |
| TL2 | Flat opal Lexan shower light |
| TL3 | Clear prismatic Lexan® shower light |
| TL30 | Drop opal Lexan® shower light with reflector |
| TL31 | Flat opal Lexan® shower light with reflector |
| TL32 | Clear Lexan® shower light with reflector |
| TL33P | Non-metallic, drop opal spa trim |
| TL34P | Prismatic drop opal spa trim |
| TL40 | Drop opal impact shower trim |
| TL41 | Drop opal glass diffuser with reflector |
| TL42 | Fresnel glass lens with reflector |
| TL43 | Flat opal glass diffuser with reflector |
| TL87 | Black baffle with prismatic glass lens and reflector |
| TL88 | White cone with fresnel glass lens |
| TL89 | White cone with drop opal glass and reflector |
| TL90 | White cone with textured opal diffuser |

6" LITEBOX® TRIMS:

| CATALOG NO. |
|-------------------|
| TA65 |
| TAW65 |
| |
| |
| TSC6BF |
| TSC6WBF |
| |
| |
| TW61BF |
| TW61BF |
| |
| DLHL |
| TL60 |
| TL64 |
| TL62 |
| TL60 |
| |
| TL60 |
| |
| TL60 |
| TL60, TL61 |
| TL62 |
| TL64, TL65 |
| |
| TL62 |
| TL61 |
| TL64, TL65 |

6" UNIVERSAL COMPACT FLUORESCENT HOUSINGS:

| CATALOG NO. | DESCRIPTION |
|-------------|--|
| PBX | 6" 2-Lamp Twin or Quad Tube CFL Non-IC Rated |

6" LITEBOX® HOUSINGS:

| CATALOG NO. |
|-------------|
| DBX |

6" UNIVERSAL TRIMS:

| CATALOG NO. | DESCRIPTION |
|-------------------|---|
| TB94 120V | Ballasted clear Alzak reflector with lower black baffle |
| TB94 277V | Ballasted clear Alzak reflector with lower black baffle |
| TO93S 120V | Ballasted clear Alzak reflector |
| TO93S 277V | Ballasted clear Alzak reflector |
| TO94G 120V | Ballasted gold Alzak reflector |
| TO94S 120V | Ballasted clear Alzak reflector |
| TO94G 277V | Ballasted gold Alzak reflector |
| TO94S 277V | Ballasted clear Alzak reflector |
| TW94C 120V | Ballasted clear Alzak wall wash reflector |
| TW94G 120V | Ballasted gold Alzak wall wash reflector |
| TW94C 277V | Ballasted clear Alzak wall wash reflector |

6" LITEBOX® TRIMS:

| CATALOG NO. |
|-------------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Prescolite® Crossover Guide LiteBox® Universal to LiteBox

6" UNIVERSAL TRIMS (CONT.):

| CATALOG NO. | DESCRIPTION |
|-------------------|---|
| TB94 120V | Ballasted clear Alzak reflector with lower black baffle |
| TB94 277V | Ballasted clear Alzak reflector with lower black baffle |
| TO93S 120V | Ballasted clear Alzak reflector |
| TO93S 277V | Ballasted clear Alzak reflector |
| TO94G 120V | Ballasted gold Alzak reflector |
| TO94S 120V | Ballasted clear Alzak reflector |
| TO94G 277V | Ballasted gold Alzak reflector |
| TO94S 277V | Ballasted clear Alzak reflector |
| TW94C 120V | Ballasted clear Alzak wall wash reflector |

6" LITEBOX® TRIMS:

| CATALOG NO. |
|-------------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

6" UNIVERSAL INCANDESCENT (IC) HOUSINGS:

| CATALOG NO. | DESCRIPTION |
|--------------|------------------------------------|
| IBX | 6" Incandescent, Standard IC rated |
| RMNIC | 6" Incandescent, Remodel IC rated |

6" LITEBOX® HOUSINGS:

| CATALOG NO. |
|---------------|
| DBX |
| RMNICD |

6" UNIVERSAL TRIMS:

| CATALOG NO. | DESCRIPTION |
|-----------------|--|
| TB13 | Shallow Black baffle |
| TBW13 | Shallow White baffle |
| TB15 | Deep Black baffle |
| TBW15 | Deep White baffle |
| TW44S | Clear Alzak wall wash downlight |
| TO1 | Open trim - white |
| TO1PB | Open trim - polished brass |
| TO2 | Open trim - white |
| TO2 PB | Open trim - polished brass |
| TO8 | White reflector trim |
| TO70B | Black Alzak reflector |
| TO70G | Gold Alzak reflector |
| TO70S | Clear Alzak reflector |
| TO72G | Gold Alzak reflector |
| TO72S | Clear Alzak reflector |
| TO83G | Gold Alzak reflector |
| TO83S | Clear Alzak reflector |
| TSC30C | Sloped ceiling trim with clear Alzak reflector |
| TSC30G | Sloped ceiling trim with gold Alzak reflector |
| TSC30B | Sloped ceiling trim with black Alzak reflector |
| TSC30BF | Sloped ceiling trim with black baffle |
| TSC30WBF | Sloped ceiling trim with white baffle |
| TA20 | Adjustable eyeball - white |
| TA20 PB | Adjustable eyeball - polished brass |
| TA21 | Adjustable eyeball - white |
| TA21 PB | Adjustable eyeball - polished brass |
| TA21WS | Adjustable white eyeball w/gasket |
| TA30B | Adjustable - black anodized |
| TA30C | Adjustable - clear anodized |
| TA30BF | Adjustable with black baffle |
| TA30WBF | Adjustable with white baffle |

6" LITEBOX® TRIMS:

| CATALOG NO. |
|----------------|
| TB61 |
| TBW61 |
| TB60 |
| TB61 |
| |
| TO6 |
| |
| TO6 |
| |
| TO6 |
| TO60B |
| TO60G |
| TO60C |
| TO60G |
| TO60C |
| |
| |
| TSC6BF |
| TSC6WBF |
| |
| TA60 |

Prescolite® Crossover Guide LiteBox® Universal to LiteBox

6" UNIVERSAL INCANDESCENT (IC) TRIMS (CONT.):

| CATALOG NO. | DESCRIPTION |
|--------------|--|
| TL33P | Non-metallic, drop opal spa trim |
| TL40 | Drop opal with impact resistant lens and reflector |
| TL41 | Drop opal glass diffuser with reflector |
| TL42 | Fresnel glass lens with reflector |
| TL43 | Flat opal glass diffuser with reflector |

6" LITEBOX® HOUSINGS:

| CATALOG NO. | DESCRIPTION |
|-------------------|-------------|
| TL60 | |
| TL60 | |
| TL60, TL61 | |
| TL62 | |
| TL64, TL65 | |

6" UNIV. INC. (IC) HIGH WATT./SHALL. PLENUM HOUSINGS:

| CATALOG NO. | DESCRIPTION |
|-------------|---|
| IDBX | 6" Incandescent, High Wattage, IC rated |
| IBX6 | 6" Incandescent, Shallow Plenum, IC rated |

6" LITEBOX® HOUSINGS:

| CATALOG NO. | DESCRIPTION |
|--------------|-------------|
| IBXHW | |
| IBXS | |

6" UNIVERSAL TRIMS:

| CATALOG NO. | DESCRIPTION |
|-----------------|---|
| TB13 | Shallow Black baffle |
| TBW13 | Shallow White baffle |
| TB15 | Deep Black baffle |
| TBW15 | Deep White baffle |
| TB16 | Black baffle with clear reflector |
| TB76 | Black baffle with upper reflector |
| TBW76 | White baffle with upper reflector |
| TO1 | Open trim - white |
| TO1PB | Open trim - polished brass |
| TO2 | Open trim - white |
| TO2 PB | Open trim - polished brass |
| TO8 | White reflector trim |
| TO72G | Gold Alzak reflector |
| TO72S | Clear Alzak reflector |
| TA20 | Adjustable eyeball - white |
| TA20 PB | Adjustable eyeball - polished brass |
| TA21 | Adjustable eyeball - white |
| TA21 PB | Adjustable eyeball - polished brass |
| TA21WS | Adjustable eyeball - white w/gasket |
| TA30B | Adjustable eyeball - black anodized |
| TA30C | Adjustable clear anodized |
| TA30BF | Adjustable with black baffle |
| TA30WBF | Adjustable with white baffle |
| TA38C | Adjustable clear anodized |
| TA38G | Adjustable gold anodized |
| TA38CMFC | Adjustable American Matte reflector |
| TA85 | Regressed eyeball with black ball and steps |
| TAW85 | Regressed eyeball with white ball and steps |
| TW41 | Wall washer with black baffle and clear reflector |
| TW44S | Clear Alzak wall wash downlight |
| TSC30B | Sloped ceiling trim with black Alzak reflector |
| TSC30C | Sloped ceiling trim with clear Alzak reflector |
| TSC30G | Sloped ceiling trim with gold Alzak reflector |
| TSC30BF | Sloped ceiling trim with black baffle |
| TSC30WBF | Sloped ceiling trim with white baffle |

6" LITEBOX® TRIMS:

| CATALOG NO. | DESCRIPTION |
|----------------|-------------|
| TB63 | |
| TBW63 | |
| TB60 | |
| TBW60 | |
| TB61 | |
| TO6 | |
| TO6 | |
| TO6 | |
| TO6 | |
| TO60G | |
| TO60C | |
| TA60 | |
| TA65 | |
| TAW65 | |
| TW61BF | |
| TSC6BF | |
| TSC6WBF | |

Prescolite® Crossover Guide LiteBox® Universal to LiteBox

6" UNIV. INC. (IC) HIGH WATT./SHALL. PLENUM (CONT.):

| CATALOG NO. | DESCRIPTION |
|-----------------|---|
| TSC38BF | Sloped ceiling trim with black baffle |
| TSC38WBF | Sloped ceiling trim with white baffle |
| TL34P | Prismatic drop opal spa trim |
| TL40 | Drop opal with impact resistant shower lens |
| TL41 | Drop opal glass diffuser with reflector |
| TL42 | Fresnel glass lens with reflector |
| TL43 | Flat opal glass diffuser with reflector |

6" LITEBOX® TRIMS:

| CATALOG NO. | DESCRIPTION |
|-------------------|-------------|
| | |
| | |
| | |
| TL60 | |
| TL60, TL61 | |
| TL62 | |
| TL64, TL65 | |

6" UNIVERSAL TRIPLE CFL (IC AND NON-IC) HOUSINGS:

| CATALOG NO. | DESCRIPTION |
|-------------|---|
| TBX | 6", 26/32 Non IC housing (electronic ballast) (120V,277V) |
| TBXC | 6", 26/32 IC housing (electronic ballast) – 120V only |

6" LITEBOX® HOUSINGS:

| CATALOG NO. | DESCRIPTION |
|------------------|--------------------------------------|
| IBX26ICAT | 26W CFL housing IC/Air Shield™ rated |
| IBX26ICAT | 26W CFL housing IC/Air Shield™ rated |

6" UNIVERSAL TRIMS:

| CATALOG NO. | DESCRIPTION |
|-----------------|--|
| TO4G | Open trim - gold |
| TO4S | Open trim - clear |
| TO95G | Gold Alzak reflector |
| TO95S | Clear Alzak reflector with Virtual Source® optics |
| TO8 | White reflector trim |
| TO95BF | Black baffle with upper reflector - Virtual Source optics |
| TO95WBF | White baffle with upper reflector - Virtual Source optics |
| TO78G | Gold Alzak reflector with black baffle |
| TO78S | Clear Alzak reflector with black baffle |
| TO95SMFC | American matte reflector with Virtual Source optics |
| TW95S | Clear Alzak wall wash downlight with Virtual Source optics |
| TW43 | Dual Alzak reflector with black baffle |
| TL1 | Drop opal Lexan® shower light |
| TL2 | Flat opal Lexan shower light |
| TL3 | Clear prismatic Lexan shower light |
| TL33P | Non-metallic, drop opal spa trim |
| TL40 | Drop opal with impact resistant lens and reflector |
| TL41 | Drop opal glass diffuser with reflector |
| TL42 | Fresnel glass lens with reflector |
| TL43 | Flat opal glass diffuser with reflector |
| TL85 | Black baffle with fresnel lens and reflector |
| TL87 | Black baffle with prismatic glass lens and reflector |
| TL86 | Black baffle with drop opal glass diffuser and reflector |
| TL88 | White cone with fresnel glass lens and reflector |
| TL89 | White cone with drop opal glass and reflector |
| TL90 | White cone with prismatic diffuser and reflector |

6" LITEBOX® TRIMS:

| CATALOG NO. | DESCRIPTION |
|-------------------|-------------|
| | |
| | |
| | |
| TO6 | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| TW61BF | |
| TL60 | |
| TL64 | |
| TL62 | |
| TL60 | |
| TL60 | |
| TL60, TL61 | |
| TL62 | |
| TL64/TL65 | |
| | |
| | |
| | |
| TL62 | |
| TL61 | |
| TL64/TL65 | |

6" UNIVERSAL QUAD CFL (NON-IC) HOUSINGS:

| CATALOG NO. | DESCRIPTION |
|--------------|-------------------------------|
| QBX18 | 6" 18W Quad Tube 120V Housing |
| QBX26 | 6" 26W Quad Tube 120V Housing |

6" LITEBOX® HOUSINGS:

| CATALOG NO. | DESCRIPTION |
|------------------|--------------------------------------|
| IBX18ICAT | 18W CFL housing IC/Air Shield™ rated |
| IBX26ICAT | 26W CFL housing IC/Air Shield™ rated |

Prescolite® Crossover Guide LiteBox® Universal to LiteBox and LiteFrame

6" UNIVERSAL QUAD CFL (NON-IC) (CONT.):

6" UNIVERSAL TRIMS:

| CATALOG NO. | DESCRIPTION |
|--------------|---|
| TO71G | Gold Alzak reflector |
| TO71S | Clear Alzak reflector |
| TO8 | White reflector trim |
| TO78S | Clear Alzak reflector with black baffle |
| TW44S | Clear Alzak wall wash downlight |
| TL30 | Drop opal Lexan® shower light with reflector |
| TL31 | Flat opal Lexan shower light with reflector |
| TL32 | Clear Lexan shower light with reflector |
| TL89 | White cone with drop opal glass and reflector |

6" LITEBOX® TRIMS:

| CATALOG NO. |
|--------------|
| TO60G |
| TO60C |
| TO6 |
| |
| TL60 |
| |
| |
| TL61 |

6" UNIV. QUAD CFL LOW WATT. (IC/NON-IC) HOUSINGS:

| CATALOG NO. | DESCRIPTION |
|-----------------------|---|
| CBX 120V HPF | 6", Compact fluorescent housing (Non-IC type - HPF) |
| CBX 120V NPF | 6", Compact fluorescent housing (Non-IC type - NPF) |
| CBX 277V HPF | 6", Compact fluorescent housing (Non-IC type - HPF) |
| CBX 277V NPF | 6", Compact fluorescent housing (Non-IC type - NPF) |
| CBXIC 120V NPF | 6", Compact fluorescent housing (IC type - NPF) |

6" LITEBOX® HOUSINGS:

| CATALOG NO. |
|------------------|
| IBX13ICAT |
| |
| IBX13ICAT |
| IBX13ICAT |

6" LITEFRAME® HOUSINGS:

| CATALOG NO. |
|--------------------|
| LF6CFH213EB |
| |
| LF6CFH213EB |

6" UNIVERSAL TRIMS:

| CATALOG NO. | DESCRIPTION |
|--------------|---|
| TB16 | Black baffle with clear reflector |
| TO76S | Clear Alzak reflector with black baffle |
| TO72G | Gold Alzak reflector |
| TO72S | Clear Alzak reflector |
| TO8 | White reflector trim |
| TO70G | Gold Alzak reflector |
| TO70S | Clear Alzak reflector |
| TW44S | Clear Alzak wall wash downlight |
| TL30 | Drop opal Lexan shower light with reflector |
| TL41 | Drop opal glass diffuser with reflector |
| TL31 | Flat opal Lexan shower light with reflector |
| TL32 | Clear Lexan shower light with reflector |
| TL34P | Prismatic drop opal spa trim |
| TL42 | Fresnel glass lens with reflector |
| TL43 | Flat opal glass diffuser with reflector |
| TL87 | Black baffle with opal glass lens and reflector |
| TL88 | White cone with fresnel glass lens |
| TL89 | White cone with drop opal glass and reflector |
| TL90 | White cone with opal glass diffuser and reflector |

6" LITEBOX® TRIMS:

| CATALOG NO. |
|-------------------|
| TB61 |
| |
| TO60G |
| TO60C |
| TO6 |
| TO60G |
| TO60C |
| |
| TL60 |
| TL60, TL61 |
| |
| |
| TL62 |
| TL64/TL65 |
| |
| |
| TL62 |
| TL61 |
| TL64/TL65 |

6" LITEFRAME® TRIMS:

| 1 LAMP | | 2 LAMP | |
|------------------|--|-----------------|--|
| 6CFH1BB | | 6CFHBB | |
| 6CFH1BB | | 6CFHBB | |
| 6CFH1CG | | 6CFHCG | |
| 6CFH1 | | 6CFH | |
| 6CFH1_WT | | 6CFH_WT | |
| 6CFH1CG | | 6CFHCG | |
| 6CFH1 | | 6CFH | |
| 6CFH1WW | | 6CFHWW | |
| | | | |
| | | | |
| 6CFH1_FL | | 6CFH_FL | |
| 6CFH1_DL | | 6CFH_DL | |
| 6CFH1BBCL | | 6CFHBBCL | |
| 6CFH1WBFL | | 6CFHWBFL | |
| 6CFH1WBCL | | 6CFHWBFL | |
| 6CFH1WBDL | | 6CFHWBDL | |

Prescolite[®] Crossover Guide LiteBox[®] Universal to LiteFrame

6" UNIV. MH/HIGH PRESS. SODIUM (NON-IC) HOUSINGS:

6" LITEFRAME[®] HOUSINGS:

| CATALOG NO. | DESCRIPTION | CATALOG NO. |
|---------------|---|---------------------|
| HBX50 | 6", Metal halide non-I.C. housing | LF6MH50MHFE |
| HBX100 | 6", Metal halide non-I.C. housing | LF6MH100MHFE |
| HBX35 | 6", Metal halide non-I.C. housing | LF6MH35MHFE |
| HBX70 | 6", Metal halide non-I.C. housing | LF6MH35MHFE |
| SBX35 | 6", High Pressure sodium non-I.C. housing | |
| SBX50 | 6", High Pressure sodium non-I.C. housing | |
| SBX70 | 6", High Pressure sodium non-I.C. housing | |

6" UNIVERSAL TRIMS:

6" LITEFRAME[®] TRIMS:

| CATALOG NO. | DESCRIPTION | CATALOG NO. |
|-----------------|---|----------------|
| TB10 | Black baffle | 6MHVBB |
| TB11 | Black baffle | 6MHVBB |
| TB13 | Shallow Black baffle | |
| TBW13 | Shallow White baffle | |
| TB15 | Deep Black baffle | |
| TBW15 | Deep White baffle | |
| TB76 | Black baffle with upper reflector | 6MHVBB |
| TBW76 | White baffle with upper reflector | 6MHVWB |
| TB81 | Black baffle | 6MHVBB |
| TBW81 | White baffle | 6MHVWB |
| TO70B | Black Alzak reflector | |
| TO70G | Gold Alzak reflector | 6MHVCG |
| TO70S | Clear Alzak reflector | 6MHV |
| TO8 | White reflector trim | 6MHV_WT |
| TO71G | Gold Alzak reflector | 6MHVCG |
| TO71S | Clear Alzak reflector | 6MHV |
| H071G | Clear anodized reflector | |
| H071S | Gold anodized reflector | |
| TO72G | Gold Alzak reflector | 6MHVCG |
| TO72S | Clear Alzak reflector | 6MHV |
| TO78G | Gold Alzak reflector with black baffle | |
| TO78S | Clear Alzak reflector with black baffle | |
| H078G | Clear anodized reflector with black baffle | |
| H078S | Gold anodized reflector with black baffle | |
| TA21 | Adjustable eyeball - white | |
| TA21 PB | Adjustable eyeball - polished brass | |
| TA30B | Adjustable black anodized | |
| TA30C | Adjustable - clear anodized | |
| TA30BF | Adjustable with black baffle | |
| TA30WBF | Adjustable with white baffle | |
| TA38C | Adjustable - clear anodized | |
| TA38G | Adjustable - gold anodized | |
| TA38CMFC | Adjustable American Matte reflector | |
| TA85 | Regressed eyeball with black ball and steps | |

Prescolite[®] Crossover Guide LiteBox[®] Universal to LiteFrame

6" UNIVERSAL METAL HALIDE AND HIGH PRESSURE SODIUM (NON-IC) TRIMS (CONT.):

6" UNIVERSAL TRIMS:

6" LITEFRAME[®] TRIMS:

| CATALOG NO. | DESCRIPTION | CATALOG NO. |
|-----------------|--|-----------------------|
| TAW85 | Regressed eyeball with white ball and steps | |
| TSC30B | Sloped ceiling trim with black Alzak reflector | |
| TSC30C | Sloped ceiling trim with clear Alzak reflector | 6MHV w/SCA6D |
| TSC30G | Sloped ceiling trim with gold Alzak reflector | 6MHVCG w/SCA6D |
| TSC30BF | Sloped ceiling trim with black baffle | |
| TSC30WBF | Sloped ceiling trim with white baffle | |
| TSC38BF | Sloped ceiling trim with black baffle | |
| TSC38WBF | Sloped ceiling trim with white baffle | |
| TW43 | Dual Alzak reflector w/black baffle | 6MHVBB |
| HW43 | Dual Alzak reflector with black baffle | 6MHVWB |
| TW44S | Clear Alzak wall wash downlight | |
| HW44S | Clear Alzak wall wash downlight | |
| HL85 | Black baffle with fresnel lens and reflector | 6MHVBBFL |
| HL88 | White cone with fresnel lens and reflector | 6MHVWBFL |
| TL87 | Black baffle with prismatic glass lens and reflector | 6MHVBBPL |
| TL89 | White cone with drop opal glass and reflector | 6MHVWBCL |
| TL90 | White cone with prismatic diffuser and reflector | 6MHVWBPL |

Notes



701 Millennium Boulevard
Greenville, SC 29607
Phone: (864) 678-1000
www.prescolite.com

Copyright © 2007 Prescolite, Inc., a division of Hubbell Lighting, Inc.
All rights reserved. Printed in USA.

PR3197a 11/07



Hubbell Lighting, Inc.