

# Clarity 6 TracJack, T568A/B, 180 degree, Wiremold Ivory

OR-TJ600-99



Clarity 6 TracJack, ETL verified to TIA Category 6 component specification. Frontloading and front removable. New universal T568A/B wiring label and tapered wiring towers simplify termination. Center tuned to Clarity 6 patch cords for optimum performance

### features & benefits

- ETL Verified to Category 6 component standard: Ensures standards compliance.
- Center tuned design: Transparent interface with Clarity 6 cords.
- Easy lace IDC housing: Reduces wiring time.
- Easy to follow universal wiring label: Quick and user-friendly, eliminates confusion.
- **Standard TracJack footprint:** Fits in all TracJack faceplates and housings.
- Front removable: Less intrusive access for adds, moves, changes.
- Icon compatible, C6 Marking on jack face: Supports 606 designation requirements.



## specifications

#### **General Info**

Color: Wiremold Ivory Footprint: TracJack Product Series: Clarity Type: Jacks and Modules

#### **Listing Agencies/Third Party Information**

CUL Listing No: E131600 ETL Listing No: 3013270-003

ETL Standard: Yes FCC Standard: Yes

UL Listing No: E131600 UL Standard: Yes

#### **Construction Information**

Component1: Plastic TracJack Housing

Component2: Array of eight modular dual reactance Cat6 contacts

Component3: IDC contacts (Low noise) Component4: Printed circuit board

Finish Plating2: Nickel plating and a minimum of 50 micro inches of selective gold plating in contact area

Finish Plating3: Nickel plating with tin over plate Material1: High Impact Thermoplastic ABS 94V-0

Material2: Beryllium copper Material3: Phosphor bronze

Material4: Two-sided FR-4 epoxy resin/glass base with solder mask

#### **Dimensions**

Depth Metric: 26.92 mm Height Metric: 23.37 mm

Height U S: 0.92" Width Metric: 18.54 mm

#### **Technical Information**

Category Rating: Cat6 Performance Rating: Cat6 Wire Gauge: 22-26 AWG

#### **Buy American Act Compliance**

Country of Origin: MEXICO

Buy American Act Status: Trade Agreement Act Compliant