



HDMI Connectivity

1080p, 4K and 3D video
Dolby TrueHD & DTS-HD Master Audio
Audio Return Channel (ARC)
HDMI Ethernet (100 Mbps)



AC2Mxx-BK
AC2100
AC2101
AC2103-V1

- AC2Mxx-BK – HDMI Cables
 - CL3 rated for in-wall use
 - 0.7 Meter (2ft) – 20 Meter (65ft)
- AC2100 – HDMI Repeater
 - 20M max In/Out
 - Required when using cables longer than 10M
 - Powered by the HDMI
- AC2101 Female to Female Coupler
- AC2103-V1 Female to Male Coupler
 - Hinged for better cable management



HDMI®
HIGH SPEED
with **ETHERNET**



HDMI Decorator Straps

1080p, 4K and 3D video
Dolby TrueHD & DTS-HD
Master Audio
Audio Return Channel (ARC)
HDMI Ethernet (100 Mbps)



WP1011-xx



HDMI®
HIGH SPEED
with **ETHERNET**

Pre-Configured 2-Port HDMI Strap

- In-Wall HDMI Coupler
- (2) Keystone insert openings



HDMI Keystone Insert

1080p, 4K and 3D video
Dolby TrueHD & DTS-HD
Master Audio
Audio Return Channel (ARC)
HDMI Ethernet (100 Mbps)



WP1234-xx



**WP1234-XX – HDMI Keystone
Insert**

- HDMI Coupler
- Angled back





Using Electrical Boxes





Cable Access Straps

WP1014-WH
WP9001-xx
WP9002-xx

Ideal for running low voltage cables behind flat panel TV or A/V devices

Cable Access Strap

- Fits into any standard decorator opening



WP1014-WH



Hinged Bullnose Wallplates

- Single and Dual Gang versions
- Hinged scoop



WP9001-WH



WP9002-BK



Wired Network



DA1004

Default IP:

192.168.40.254

Enclosure Mounted 4-Port Fast Ethernet Router/Switch

- Shares Internet connection with up to four computers at 10/100 speeds
- Features four 10/100 LAN ports
- Features one 10/100 WAN port
- Enhanced firewall protection for secure network connections
- Includes router disable “MODE” switch when customer has existing router
- Becomes a 5-Port 10/100 switch with routing disabled
- Requires a 12V power supply



12V power supply required (not included)




Wired Network

DA1002



Enclosure Mounted 5-Port Fast Ethernet Switch

- Expands Internet sharing at 10/100 speeds
- Features five 10/100 Mbps fast Ethernet network ports
- Requires a 12V power supply



12V power supply required
(not included)



EZ-RJ45 Connectors

Cat 5e & Cat 6 Connectors

- CAT 5e EZ-RJ45 Connectors
- CAT 6 EZ-RJ45 Connectors





364554-01
AC2600

EZ-RJ45 Tool



364555-01





5000 Series Speakers

HT5650
HT5800
HT5655
HT5651
HT5801
HT5104

6.5"/ 8" In-ceiling Speakers 6.5"/ 8" In-wall Speakers 6.5" Angled In-ceiling Speakers


- 90dB efficient
- 150/200W peak
- 18-14ga spring terminals
- Two templates
- Two paint rings
- Two foam gaskets



Powered Sub

- 10 inch
- 150 Watts
- L&R RCA / LFE low-level input
- 50-200Hz crossover
- Phase reversal switch
- Volume and power





Retrofit Solutions!

Home Systems



Recessed Connection Kits

HT2102-WH-V1
HT2103-WH-V1

Flat Panel TV Kit

- Flat Panel TVs
- Angled Duplex Outlet
- Brush Strap



Home Theater Install Kit

- A/V Source Components
- Angled Duplex Outlet
- 5.1 Speaker Strap
- Brush Strap

HT2020-WH-V1



HT2040-WH-V1



Coax Network

4-Port Coax Network Adapter

- Creates ultra-fast networks using existing coax wiring
- Enables the fastest networks for streaming HD content and video
- Encrypted so content stays secure
- Can coexist with cable TV or off-air systems
 - Perfect for retrofit installations
- Install up to 16 nodes/adapters per network
 - 2 Coax Adapters required per install
- Ideal for use at entertainment centers that require high bandwidth
 - Internet TVs
 - Blu-ray
 - Gaming systems

DA2204-V1





Coax Network



VM2201-V1
VM2202-V1
VM2203-V1
VM2204-V1
VM2200-V1

Coax Network Accessories

- Optimized for use with coax networking systems
- MoCA, HDTV, & Digital broadcast ready
- 1.525 GHz bandwidth for current and future enhanced coax networks



VM2201 – Digital Cable Amplifier

- 14.5 dB gain
- (1) RF input & (1) RF output
- (1) Power supply (12VDC/200mA) included



VM2202/03/04 – Digital Cable Splitters

- Exceeds performance standards set by major cable providers

VM2200-V1 – MoCA Blocker

- Protects the home network by blocking it from outside the home
 - Not needed if an amplifier is installed

