

PAR30L LED Single Optic lamp with AirFlux Technology

12PAR30L/F36 3000 DIM AF SO 6/1

Philips PAR30L LED Retail Optic lamp with AirFlux Technology improves shopping experience with superior lighting aesthetics and optimal thermal efficiency in a sleek, lightweight design.

Product data

General Characteristics

Cap-Base E26 Bulb PAR30L Rated Avg. Life 50000 hr (Hours)

• Light Technical Characteristics

Color Code	WH
Color Designation	White
Beam Angle	36 D
Beam Description	36D [Medium beam]
Correlated Color	3000 K
Temperature	
Approximate Lumens	900 Lm
Approx. MBCP	2500 cd
CRI	80
Luminous Efficacy	75.00 Lm/W
Lamp .	
Color Temp. (Kelvin)	3000 K [CCT 3000K]
Rated Luminous Flux	900 Lm

• Electrical Characteristics

Wattage	12 W
Wattage Technical	12 W
Voltage	120 V
Line Frequency	60 Hz
Power Factor	0.9 -
Lamp Current mA	113 mA
Dimmable	Yes

Wattage Equivalent Starting Time	75 W 0.5 s
• Environmental characte	ristics
Energy consumption kWh/1000h	12 kWh
Measuring Conditions	
Switching cycle	20000X
• Product Dimensions	
Overall Length C Diameter D	116 mm 92 mm
• Product Data	
Product number Product number (full) Full product name Short product name Pieces per Sku eop_pck_cfg Skus/Case Bar code on pack Bar code on case Logistics code(s) eop_net_weight_pp	430165 430165 12PAR30L/F36 3000 DIM AF SO 6/1 12PAR30L/F36 3000 DIM AF RO 6/1 1 6 6 6 46677430160 50046677430165 929000251704 0.240 kg





PAR30L LED Single Optic lamp with AirFlux Technology

Warnings and Safety

- Suitable for use in damp locations.
- Not for use in totally enclosed luminaires.

Dimensional drawing

• Before replacing, turn off power and let lamp cool to avoid electrical shock or burn.



12PAR30L/F36 3000 DIM AF SO 6/1

Product	C (Norm)	C1 (Max)	D (Norm)	D1 (Norm)
LED 12-75W E26 3000K 120V PAR30L 36D DIM	116	-	92	-



E26



 $\ensuremath{\mathbb{C}}$ 2014 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting