


# UNC 'POZI-LOK®' NYLON INSERT STOP NUTS



**108** Plated

NYLON COLLAR  
Bright Zinc Plated  
UNC - Unified National Coarse Thread

LIST PRICE PER 100 PIECES

GRADE 2									
Size No.	Bolt Diameter Inches	CASE-Plated	Pkg Qty	Case Qty	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.	Dimensions	
		Coarse Thread <b>108</b>			Coarse Thread <b>B108</b>			Across Flats	Thickness
- 006	6-32	\$2.13	100	7500	\$1.78	14000	.26	5/16	.178
- 008	8-32	2.22	100	7500	1.85	8500	.42	11/32	.229
- 010	10-24	2.30	100	7500	1.92	7000	.50	3/8	.239
- 014	1/4-20	3.92	100	4800	3.38	3400	.90	7/16	.313
- 016	5/16-18	5.55	100	3200	4.79	2300	1.20	1/2	.344
- 018	3/8-16	8.33	100	2400	7.19	1250	1.80	9/16	.453
- 020	7/16-14	10.11	50	1200	8.73	950	2.30	5/8	.453
- 022	1/2-13	21.22	50	800	18.51	600	4.30	3/4	.594
- 023	9/16-12	34.25	25	600	29.92	475	7.10	7/8	.641
- 024	5/8-11	42.06	25	400	36.74	325	8.30	15/16	.750
- 026	3/4-10	59.18	20	240	51.57	200	12.00	1-1/16	.875
- 028	7/8-9	99.07	20	160	86.90	130	19.00	1-1/4	.984
- 030	1-8	134.06	20	120	117.47	90	27.00	1-7/16	1.047
- 032	1-1/8-7	262.68	15	90	218.90	65	41.00	1-5/8	1.188
- 034	1-1/4-7	377.65	15	60	314.71	50	58.00	1-13/16	1.375
- 037	1-3/8-6	540.16	10	40	450.13	35	77.00	2	1.563
- 038	1-1/2-6	925.75	10	40	771.46	50	100.00	2-3/16	1.625
- 040	1-3/4-5	-	-	-	1429.38	20	240.00	2-3/4	2.313
- 042	2-4-1/2	-	-	-	1965.44	20	310.00	3-1/8	2.406
GRADE 5									
- 414	1/4-20	\$5.92	100	4800	\$4.98	3400	.90	7/16	.313
- 416	5/16-18	7.95	100	3200	6.69	2300	1.20	1/2	.344
- 418	3/8-16	11.55	100	2400	9.70	1250	1.80	9/16	.453
- 420	7/16-14	14.08	50	1200	11.84	950	2.30	5/8	.453
- 422	1/2-13	27.53	50	800	23.13	600	4.30	3/4	.594
- 423	9/16-12	47.64	25	600	40.03	475	7.10	7/8	.641
- 424	5/8-11	54.26	25	400	45.59	325	8.30	15/16	.750
- 426	3/4-10	79.30	20	240	66.64	200	12.00	1-1/16	.875
- 428	7/8-9	127.78	20	160	107.39	130	19.00	1-1/4	.984
- 430	1-8	187.97	20	120	157.96	90	27.00	1-7/16	1.047
GRADE 8									
- 514	1/4-20	\$6.39	100	4800	\$5.37	3400	.90	7/16	.313
- 516	5/16-18	8.57	100	3200	7.20	2300	1.20	1/2	.344
- 518	3/8-16	12.43	100	2400	10.45	1250	1.80	9/16	.453
- 520	7/16-14	15.18	50	1200	12.76	950	2.30	5/8	.453
- 522	1/2-13	29.28	50	800	24.61	600	4.30	3/4	.594
- 523	9/16-12	51.25	25	600	43.06	475	7.10	7/8	.641
- 524	5/8-11	58.48	25	400	49.14	325	8.30	15/16	.750
- 526	3/4-10	85.25	20	240	71.64	200	12.00	1-1/16	.875
- 528	7/8-9	136.29	20	160	114.52	130	19.00	1-1/4	.984
- 530	1-8	200.93	20	120	168.85	90	27.00	1-7/16	1.047

Note: Please use Series and Size No. when ordering:  
Example: 1/2-13 UNC Nylon Insert Stop Nuts Grade 2

Series Size No.  
Case -     **108**     - **022**  
Bulk -     **B108**    - **022**


Note: No. 6 and No. 8 Grade 2 Nylon Insert Stop Nuts are available in 6-32 and 8-32 UNC Coarse Thread only.

Note: No. 10 Grade 2 Nylon Insert Stop Nuts are available in both 10-24 UNC Coarse Thread and 10-32 UNF Fine Thread.

Revised July 28, 2008

# UNF 'POZI-LOK®' NYLON INSERT STOP NUTS

NYLON COLLAR  
Bright Zinc Plated  
UNF - Unified National Fine Thread



**109** Plated

LIST PRICE PER 100 PIECES

Size No.	Bolt Diameter Inches	CASE-Plated	Pkg Qty	Case Qty	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.	Dimensions	
		Fine Thread <b>109</b>			Fine Thread <b>B109</b>			Across Flats	Thickness
- 010	No. 10	\$3.79	100	7500	\$3.27	7000	.50	3/8	.239
- 014	1/4-28	4.03	100	4800	3.48	3400	.90	7/16	.313
- 016	5/16-24	5.72	100	3200	4.94	2300	1.20	1/2	.344
- 018	3/8-24	8.58	100	2400	7.40	1250	1.80	9/16	.453
- 020	7/16-20	10.41	50	1200	8.99	950	2.30	5/8	.453
- 022	1/2-20	21.71	50	800	19.00	600	4.30	3/4	.594
- 023	9/16-18	35.03	25	600	30.70	475	7.10	7/8	.641
- 024	5/8-18	43.02	25	400	37.70	325	8.30	15/16	.750
- 026	3/4-16	60.55	20	240	52.94	200	12.00	1-1/16	.875
- 028	7/8-14	101.26	20	160	89.09	130	19.00	1-1/4	.984
- 030	1-14*	139.31	20	120	122.07	90	27.00	1-7/16	1.047
- 032	1-1/8-12	342.38	15	90	229.85	65	41.00	1-5/8	1.188
- 034	1-1/4-12	396.53	15	60	330.44	50	58.00	1-13/16	1.375
- 037	1-3/8-12	567.16	10	40	472.64	35	77.00	2	1.563
- 038	1-1/2-12	972.04	10	40	810.03	30	100.00	2-3/16	1.625
- 040	1-3/4-12	-	-	-	1425.00	15	240.00	2-3/4	2.313
- 042	2-12	-	-	-	1875.00	12	310.00	3-1/8	2.406

Note: Please use Series and Size No. when ordering:  
Example: 1/2-20 UNF Nylon Insert Stop Nuts.

Note: No. 6 and No. 8 Nylon Insert Stop Nuts are  
Available in 6-32 and 8-32 UNC Coarse Thread only.

Series    Size No.  
Case -    **109**    - **022**  
Bulk -    **B109**   - **022**

Note: No. 10 Nylon Insert Stop Nuts are available in both  
10-24 UNC Coarse Thread and 10-32 UNF Fine Thread.

\* UNF (UNS) is 1"-14 threads per inch. 1"-12 is not stocked or supplied unless specifically ordered.

LIST PRICE PER 100 PIECES

<b>GRADE 5</b>									
Size No.	Bolt Diameter Inches	CASE-Plated	Pkg Qty	Case Qty	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.	Dimensions	
		Fine Thread <b>109</b>			Fine Thread <b>B109</b>			Across Flats	Thickness
- 414	1/4-28	\$5.85	100	4800	\$5.04	3400	.90	7/16	.313
- 416	5/16-24	7.95	100	3200	6.86	2300	1.20	1/2	.344
- 418	3/8-24	12.40	100	2400	10.69	1250	1.80	9/16	.453
- 420	7/16-20	15.17	50	1200	13.08	950	2.30	5/8	.453
- 422	1/2-20	29.45	50	800	25.39	600	4.30	3/4	.594
- 423	9/16-18	44.65	25	600	38.49	475	7.10	7/8	.641
- 424	5/8-18	60.15	25	400	51.85	325	8.30	15/16	.750
- 426	3/4-16	81.69	20	240	70.42	200	12.00	1-1/16	.875
- 428	7/8-14	136.36	20	160	117.55	130	19.00	1-1/4	.984
- 430	1-14	220.57	20	120	190.15	90	27.00	1-7/16	1.047


Note: Please use Series and Size No. when ordering:  
Example: 1/2-20 UNF Grade 5 Nylon Insert Stop Nuts.

Series    Size No.  
Case -    **109**    - **422**  
Bulk -    **B109**   - **422**

Added August 13, 2013

# UNF 'POZI-LOK®' NYLON INSERT STOP NUTS

NYLON COLLAR  
Yellow Zinc Plated  
UNF - Unified National Fine Thread



**109** Plated

LIST PRICE PER 100 PIECES

GRADE 8									
Size No.	Bolt Diameter Inches	CASE-Plated	Pkg Qty	Case Qty	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.	Dimensions	
		Fine Thread <b>109</b>			Fine Thread <b>B109</b>			Across Flats	Thickness
- 514	1/4-28	<b>\$7.04</b>	100	4800	<b>\$6.07</b>	3400	.90	7/16	.313
- 516	5/16-24	<b>9.52</b>	100	3200	<b>8.21</b>	2300	1.20	1/2	.344
- 518	3/8-24	<b>14.82</b>	100	2400	<b>12.78</b>	1250	1.80	9/16	.453
- 520	7/16-20	<b>18.35</b>	50	1200	<b>15.82</b>	950	2.30	5/8	.453
- 522	1/2-20	<b>36.43</b>	50	800	<b>31.41</b>	600	4.30	3/4	.594
- 523	9/16-18	<b>58.28</b>	25	600	<b>50.25</b>	475	7.10	7/8	.641
- 524	5/8-18	<b>71.19</b>	25	400	<b>61.37</b>	325	8.30	15/16	.750
- 526	3/4-16	<b>100.64</b>	20	240	<b>86.76</b>	200	12.00	1-1/16	.875
- 528	7/8-14	<b>190.48</b>	20	160	<b>164.20</b>	130	19.00	1-1/4	.984
- 530	1-14	<b>288.82</b>	20	120	<b>248.98</b>	90	27.00	1-7/16	1.047

Note: Please use Series and Size No. when ordering:

Example: 1/2-20 UNF Grade 5 Nylon Insert Stop Nuts Bright Zinc.

Stock Sizes are shown in **HEAVY** type.

Series Size No.  
Case - **109 - 422**  
Bulk - **B109 - 422**

# UNC NTE NYLON INSERT STOP NUTS

NYLON COLLAR  
Zinc Plated  
UNC - Unified National Coarse Thread




**1081** Plated

LIST PRICE PER 100 PIECES

GRADE 2									
Size No.	Bolt Diameter Inches	CASE-Plated	Pkg Qty	Case Qty	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.	Dimensions	
		Coarse Thread <b>1081</b>			Coarse Thread <b>B1081</b>			Across Flats	Thickness
- 008	8-32	\$2.49	100	8400	\$2.15	8500	.42	11/32	.176
- 010	10-24	2.83	100	8400	2.44	7000	.50	3/8	.182
- 014	1/4-20	3.13	100	4800	2.70	3400	.90	7/16	.213
- 016	5/16-18	4.34	100	3200	3.74	2300	1.20	1/2	.246
- 018	3/8-16	5.29	100	2400	4.56	1250	1.80	9/16	.270
- 020	7/16-14	8.05	50	1200	6.94	950	2.30	5/8	.327
- 022	1/2-13	11.47	50	800	9.89	600	4.30	3/4	.315
- 024	5/8-11	24.96	25	400	21.52	325	8.30	15/16	.397
- 026	3/4-10	50.67	20	240	43.68	200	12.00	1-1/16	.412
- 028	7/8-9	107.58	20	160	92.74	130	19.00	1-1/4	.475
- 030	1-8	181.18	20	120	156.19	90	27.00	1-7/16	.537
- 034	1-1/4-7	430.30	15	60	370.95	50	58.00	1-13/16	.739
- 038	1-1/2-6	452.50	10	40	390.09	50	100.00	2-3/16	.798

# UNF NTE NYLON INSERT STOP NUTS

NYLON COLLAR  
Zinc Plated  
UNF - Unified National Fine Thread



**1091** Plated


LIST PRICE PER 100 PIECES

GRADE 2									
Size No.	Bolt Diameter Inches	CASE-Plated	Pkg Qty	Case Qty	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.	Dimensions	
		Fine Thread <b>109</b>			Fine Thread <b>B109</b>			Across Flats	Thickness
- 010	10-32	\$2.80	100	8400	\$2.42	7000	.50	3/8	.182
- 014	1/4-28	3.13	100	4800	2.70	3400	.90	7/16	.213
- 016	5/16-24	4.37	100	3200	3.77	2300	1.20	1/2	.246
- 018	3/8-24	5.28	100	2400	4.55	1250	1.80	9/16	.270
- 020	7/16-20	8.09	50	1200	6.97	950	2.30	5/8	.327
- 022	1/2-20	11.48	50	800	9.90	600	4.30	3/4	.315
- 024	5/8-18	24.97	25	400	21.52	325	8.30	15/16	.397
- 026	3/4-16	50.67	20	240	43.68	200	12.00	1-1/16	.412
- 028	7/8-14	107.58	20	160	92.74	130	19.00	1-1/4	.475
- 030	1-14	181.18	20	120	156.19	90	27.00	1-7/16	.537
- 034	1 1/4-12	238.41	15	60	205.52	50	58.00	1-13/16	.739
- 038	1 1/2-12	377.97	10	40	325.83	50	100.00	2-3/16	.798

Added August 13, 2013

# 'POZI-LOK®' DOUBLE NUTS

**NYLON COLLAR**  
Bright Zinc Plated  
UNF - Unified National Fine Thread



**111** Plated

LIST PRICE PER 100 PIECES


Size No.	Bolt Diameter Inches	CASE-Plated	Pkg Qty	Case Qty	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.	Dimensions	
		Fine Thread <b>111</b>			Fine Thread <b>B111</b>			Across Flats	Thickness
- 018	3/8-24	\$308.15	5	180	\$256.76	2000	2.6	35/64	41/64
- 020	7/16-20	376.46	5	180	313.70	1500	3.6	5/8	49/64
- 022	1/2-20	480.04	5	120	399.99	1000	5.9	3/4	13/16
- 024	5/8-18	1061.91	5	120	884.93	540	12.0	15/16	1"

## UNC GRADE B

### CONELOK LOCKNUTS

Medium Carbon Steel, Heat Treated  
**Zinc Plated and Waxed**  
UNF - Unified National Fine Thread

AUTOMATION TYPE



**061** Plated

Proof Stress:  
120,000 psi.

LIST PRICE PER 100 PIECES

Size No.	Bolt Diameter Inches	CASE-Plated	Pkg Qty	Case Qty	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.	Dimensions	
		Coarse Thread <b>061</b>			Coarse Thread <b>B061</b>			Across Flats	Thickness
- 514	1/4-20	\$3.72	100	4800	\$3.23	5500	.67	7/16	.226
- 516	5/16-18	5.81	100	3200	5.05	3600	.98	1/2	.273
- 518	3/8-16	8.44	100	2400	7.34	2500	1.34	9/16	.337
- 520	7/16-14	15.14	50	1200	13.17	1400	2.50	11/16	.385
- 522	1/2-13	20.06	50	1200	17.45	1000	3.25	3/4	.448
- 523	9/16-12	32.51	25	600	28.27	625	5.37	7/8	.496
- 524	5/8-11	39.42	25	400	34.28	540	6.70	15/16	.559
- 526	3/4-10	61.97	20	240	53.89	325	11.50	1-1/8	.665
- 528	7/8-9	103.78	20	240	90.24	200	17.30	1-5/16	.776
- 530	1-8	159.86	20	120	139.01	135	25.00	1-1/2	.887

Note: Please use Series and Size No. when ordering:  
Example: 1/2-13 UNC Grade 'B' Conelok Locknuts  
Zinc Plated and Waxed.


For use with Grade 2 and 5 Bolts

Case - Series 061 Size No. - 522  
Bulk - B061 - 522

# UNF GRADE B CONELOK LOCKNUTS

Medium Carbon Steel, Heat Treated  
Zinc Plated and Waxed

AUTOMATION TYPE



**062** Plated

Proof Stress: UNF - Unified National Fine Thread  
120,000 psi.

LIST PRICE PER 100 PIECES

Size No.	Bolt Diameter Inches	CASE-Plated	Pkg Qty	Case Qty	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.	Dimensions	
		Fine Thread <b>062</b>			Fine Thread <b>B062</b>			Across Flats	Thickness
- 514	1/4-28	\$3.93	100	4800	\$3.42	5500	.67	7/16	.226
- 516	5/16-24	6.49	100	3200	5.65	3600	.98	1/2	.273
- 518	3/8-24	8.66	100	2400	7.53	2500	1.34	9/16	.337
- 520	7/16-20	15.55	50	1200	13.52	1400	2.50	11/16	.385
- 522	1/2-20	20.60	50	1200	17.92	1000	3.25	3/4	.448
- 523	9/16-18	33.01	25	600	28.70	625	5.37	7/8	.496
- 524	5/8-18	41.82	25	400	36.36	540	6.70	15/16	.559
- 526	3/4-16	63.65	20	240	55.35	325	11.50	1-1/8	.665
- 528	7/8-14	111.80	20	240	97.22	200	17.30	1-5/16	.776
- 530	1-14†	164.21	20	120	142.80	135	25.00	1-1/2	.887

Note: Please use Series and Size No. when ordering: For use with Grade 2 and 5 Bolts  
Example: 1/2-20 UNF Grade 'B' Conelok Locknuts  
Zinc Plated and Waxed.


Case - Series  
Bulk - **062**      - 522  
                  **B062**      - 522

† UNF (UNS) is 1"-14 threads per inch. 1"-12 is not stocked or supplied unless specifically ordered.

# UNC GRADE C CONELOK LOCKNUTS

Medium Carbon Steel, Heat Treated  
Zinc Plated and Waxed

AUTOMATION TYPE



**063** Plated

Proof Stress:  
150,000 psi.

UNC - Unified National Coarse Thread

LIST PRICE PER 100 PIECES

Size No.	Bolt Diameter Inches	CASE-Plated	Pkg Qty	Case Qty	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.	Dimensions	
		Coarse Thread <b>063</b>			Coarse Thread <b>B063</b>			Across Flats	Thickness
- 514	1/4-20	\$4.71	100	4800	\$3.94	5500	.67	7/16	.226
- 516	5/16-18	7.05	100	3200	5.86	3600	.98	1/2	.273
- 518	3/8-16	10.25	100	2400	8.58	2500	1.34	9/16	.337
- 520	7/16-14	18.44	50	1200	15.45	1400	2.50	11/16	.385
- 522	1/2-13	24.53	50	1200	20.54	1000	3.25	3/4	.448
- 523	9/16-12	38.15	25	600	31.93	625	5.37	7/8	.496
- 524	5/8-11	47.96	25	400	40.14	540	6.70	15/16	.559
- 526	3/4-10	74.64	20	240	62.46	325	11.50	1-1/8	.665
- 528	7/8-9	112.88	20	240	94.47	200	17.30	1-5/16	.776
- 530	1-8	169.93	20	120	142.21	135	25.00	1-1/2	.887

Note: Please use Series and Size No. when ordering: For use with Grade 5 and 8 Bolts  
Example: 1/2-13 UNC Grade 'C' Conelok Locknuts  
Zinc Plated and Waxed. \* Hex Collar Type Only supplied.

Case - Series  
Bulk - **063**      - 522  
                  **B063**      - 522


Grade C Conelok Thin Collar Locknuts - price on application.

Revised March 13, 2009

# UNF GRADE C CONELOK LOCKNUTS

AUTOMATION TYPE

Medium Carbon Steel, Heat Treated  
Zinc Plated and Waxed  
UNF - Unified National Fine Thread



**064** Plated

Proof Stress:  
150,000 psi.

LIST PRICE PER 100 PIECES

Size No.	Bolt Diameter Inches	CASE-Plated		Pkg Qty	Case Qty	BULK-Plated		Approx. Weight 100 Pcs.	Dimensions		
		Fine Thread	064			Fine Thread	B064		Bulk Qty	Across Flats	Thickness
- 514	1/4-28	\$4.84		100	4800	\$4.05		5500	.67	7/16	.226
- 516	5/16-24	7.26		100	3200	6.03		3600	.98	1/2	.273
- 518	3/8-24	10.53		100	2400	8.82		2500	1.34	9/16	.337
- 520	7/16-20	18.97		50	1200	15.88		1400	2.50	11/16	.385
- 522	1/2-20	25.22		50	1200	21.11		1000	3.25	3/4	.448
- 523	9/16-18	39.20		25	600	32.82		625	5.37	7/8	.496
- 524	5/8-18	49.30		25	400	41.26		540	6.70	15/16	.559
- 526	3/4-16	65.44		20	240	64.27		325	11.50	1-1/8	.665
- 528	7/8-14	115.95		20	240	97.03		200	17.30	1-5/16	.776
- 530	1-14†	174.57		20	120	146.08		135	25.00	1-1/2	.887

Note: Please use Series and Size No. when ordering:  
Example: 1/2-20 UNF Grade 'C' Conelok Locknuts  
Zinc Plated and Waxed.

For use with Grade 5 and 8 Bolts  
\* Hex Collar Type Only supplied.  
Grade C Conelok Thin Collar Locknuts - price on application.

Case - **064**  
Bulk - **B064**


Series **064**  
Size No. **- 522**

Series **064**  
Size No. **- 522**

† UNF (UNS) is 1"-14 threads per inch. 1"-12 is not stocked or supplied unless specifically ordered.


# STEEL MACHINE SCREW NUTS

**184**  
Hex



HEXAGON and SQUARE

Bright Zinc Plated



**185**  
Square

LIST PRICE PER 100 PIECES

Size No.	Bolt Diameter Inches	CASE-Plated		Pkg Qty	Case Qty	BULK-Plated		Bulk Qty	Approx. Weight 1000 Pcs.	Dimensions	
		Hex	Square			Hex	Square			Across Flats	Thickness
- 002	2-56	\$1.29	-	100	7500	\$1.18	-	25000	.41	3/16	1/16
- 003	3-48	1.36	-	100	7500	1.25	-	25000	.39	3/16	1/16
- 004	4-40	1.43	-	100	7500	1.31	-	20000	1.10	1/4	3/32
- 005	5-40	1.43	-	100	7500	1.31	-	20000	2.15	5/16	7/64
- 006	6-32	1.44	\$1.89	100	7500	1.24	\$1.74	20000	2.10	5/16	7/64
- 008	8-32	1.65	2.16	100	7500	1.42	1.99	20000	2.80	11/32	1/8
- 010	10-24	1.75	2.32	100	7500	1.51	2.14	15000	3.30	3/8	1/8
- 011	10-32	1.75	2.32	100	7500	1.51	2.14	15000	3.30	3/8	1/8
- 012	12-24	3.15	-	100	7500	1.88	-	10000	5.60	7/16	5/32
- 014	1/4-20	3.44	4.76	100	7500	2.47	3.55	7500	6.10	7/16	3/16
- 015	1/4-28	3.44	-	100	7500	2.47	-	7500	6.10	7/16	3/16
- 016	5/16-18	6.35	8.03	100	3000	4.56	4.46	5000	12.10	9/16	7/32
- 018	3/8-16	8.38	12.19	100	2000	6.42	11.24	3000	15.80	5/8	1/4

Note: Please use Series and Size No. when ordering:  
Example: 10-24 Hexagon Steel Machine Screw Nuts Plated.

Weights shown are for Hex Machine Screw Nuts,  
Square Nuts are approximately 25% heavier.

Case - **184**  
Bulk - **B184**

Series **184**  
Size No. **- 010**

Series **184**  
Size No. **- 010**

Stock Sizes are shown in **HEAVY** type.

Revised July 28, 2008