


UNC CARRIAGE BOLTS

(Round Head Square Neck Bolts)



Low Carbon Steel
Bare Metal or Bright Zinc Plated
UNC - Unified National Coarse Thread



LIST PRICE PER 100 PIECES

128 Bare

129 Plated

1/4" DIA.

Size No.	Length Under Head Inches	CASE-Bare	CASE-Plated	Pkg Qty	Case Qty	BULK-Bare	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.
		Coarse Thread	Coarse Thread			Coarse Thread	Coarse Thread		
		128	129			B128	B129		
- 305	1/2	-	-	100	3200	\$5.11	\$5.29	2800	1.20
- 306	5/8	-	-	100	2400	5.50	5.69	2500	1.27
- 307	3/4	7.09	\$7.30	100	2400	5.94	6.15	2400	1.40
- 308	7/8	-	-	-	-	5.71	5.91	2200	1.53
- 309	1	8.18	8.42	100	1600	6.85	7.09	2000	1.65
- 311	1-1/4	9.22	9.50	100	1600	7.66	7.94	1600	1.98
- 313	1-1/2	10.50	10.82	100	1200	8.71	9.03	1300	2.32
- 315	1-3/4	11.87	12.23	100	1200	9.84	10.21	1100	2.60
- 316	2	11.93	12.34	100	800	9.66	10.07	900	3.00
- 317	2-1/4	12.61	13.05	100	800	10.12	10.57	800	3.33
- 318	2-1/2	13.66	14.15	100	800	10.94	11.43	700	3.60
- 319	2-3/4	15.24	15.78	100	800	12.24	12.78	650	4.01
- 320	3	16.44	17.02	100	600	13.16	13.75	600	4.34
- 321	3-1/4	17.36	-	100	600	13.94	14.56	550	4.60
- 322	3-1/2	18.77	19.45	100	600	15.03	15.71	550	5.02
- 323	3-3/4	19.75	-	100	600	15.77	16.49	500	5.30
- 324	4	21.45	22.21	100	600	17.23	17.99	450	5.69
- 325	4-1/2	24.18	25.04	100	600	19.42	20.28	350	6.30
- 326	5	26.37	27.31	100	400	21.18	22.12	350	7.04
- 327	5-1/2	28.45	29.46	100	400	22.85	23.86	300	7.71
- 329	6	30.99	-	100	400	24.89	25.99	300	8.39
- 330	6-1/2	-	-	100	400	-	-	300	8.94
- 331	7	-	-	100	400	-	-	275	9.60
- 332	7-1/2	-	-	-	-	-	-	-	10.30
- 333	8	-	-	100	200	-	-	300	11.00

Note: Please use Series and Size No. when ordering:

Stock Sizes are shown in **HEAVY** type.

Example: 1/4 x 1 Carriage Bolt Bare Metal .

	Series	Size No.
Case -	128	- 309
Bulk -	B128	- 309

UNC CARRIAGE BOLTS


(Round Head Square Neck Bolts)



128 Bare

129 Plated

Low Carbon Steel
Bare Metal or Bright Zinc Plated
UNC - Unified National Coarse Thread



LIST PRICE PER 100 PIECES

5/16" DIA.									
Size No.	Length Under Head Inches	CASE-Bare	CASE-Plated	Pkg Qty	Case Qty	BULK-Bare	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.
		Coarse Thread 128	Coarse Thread 129			Coarse Thread B128	Coarse Thread B129		
- 442	3/4	\$12.01	\$12.36	100	1600	\$10.06	\$10.41	1400	2.4
- 443	7/8	10.96	-	-	-	9.07	9.41	1200	2.6
- 444	1	13.00	13.40	100	1200	10.75	11.16	1100	2.8
- 446	1-1/4	14.33	14.78	100	1200	11.81	12.26	950	3.2
- 448	1-1/2	16.31	16.84	100	800	13.38	13.90	800	3.7
- 450	1-3/4	17.45	18.05	100	800	14.13	14.73	700	4.3
- 451	2	19.78	20.44	100	600	16.10	16.76	700	4.8
- 452	2-1/4	22.19	22.92	100	600	18.16	18.88	550	5.3
- 453	2-1/2	23.15	23.94	100	400	18.75	19.54	450	5.8
- 454	2-3/4	25.65	26.54	100	400	20.72	21.61	400	6.4
- 455	3	27.08	28.03	100	400	21.82	22.76	400	6.9
- 456	3-1/4	29.03	-	100	400	23.44	24.45	375	7.4
- 457	3-1/2	30.83	31.92	100	400	24.76	25.85	300	7.9
- 458	3-3/4	33.58	-	100	400	27.12	28.28	275	8.5
- 459	4	35.52	36.75	100	200	28.69	29.92	275	9.0
- 460	4-1/2	37.85	39.22	100	200	30.21	31.59	250	10.1
- 461	5	43.37	44.87	100	200	35.03	36.53	200	11.1
- 462	5-1/2	47.42	49.06	100	200	38.30	39.94	200	12.2
- 464	6	51.15	52.92	50	200	41.32	43.09	200	13.2
- 465	6-1/2	-	-	50	100	-	-	200	14.1
- 466	7	-	-	50	200	-	-	200	15.2
- 467	7-1/2	-	-	50	200	-	-	225	16.2
- 468	8	-	-	50	200	-	-	200	17.3

Note: Please use Series and Size No. when ordering:
Example: 5/16 x 1-1/4 Carriage Bolt Bare Metal.

Stock Sizes are shown in **HEAVY** type.

	Series	Size No.
Case -	128	- 466
Bulk -	B128	- 446


Revised August 18, 2008

UNC CARRIAGE BOLTS

(Round Head Square Neck Bolts)



Low Carbon Steel
Bare Metal or Bright Zinc Plated
UNC - Unified National Coarse Thread



LIST PRICE PER 100 PIECES

128 Bare

129 Plated

3/8" DIA.

Size No.	Length Under Head Inches	CASE-Bare	CASE-Plated	Pkg Qty	Case Qty	BULK-Bare	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.
		Coarse Thread	Coarse Thread			Coarse Thread	Coarse Thread		
		128	129			B128	B129		
- 487	3/4	\$16.48	-	100	1200	\$13.55	\$14.08	900	3.8
- 488	7/8	16.51	-	-	-	13.57	14.10	800	3.1
- 489	1	18.81	\$19.41	100	800	15.46	16.06	750	4.4
- 491	1-1/4	21.22	21.90	100	800	17.45	18.12	600	5.0
- 493	1-1/2	23.39	24.14	100	600	19.18	19.94	550	5.6
- 495	1-3/4	26.58	27.44	100	600	21.80	22.66	500	6.4
- 496	2	28.82	29.79	100	600	23.47	24.43	450	7.1
- 497	2-1/4	31.11	32.17	100	400	25.27	26.32	400	7.9
- 498	2-1/2	33.73	34.88	100	400	27.31	28.47	350	8.7
- 499	2-3/4	36.07	37.32	100	400	29.14	30.39	325	9.4
- 500	3	39.01	40.36	100	200	31.51	32.86	300	10.2
- 501	3-1/4	41.96	-	100	300	33.89	35.34	275	11.0
- 502	3-1/2	43.72	45.25	100	200	35.22	36.75	250	11.7
- 503	3-3/4	47.39	-	100	300	38.17	39.83	250	12.5
- 504	4	49.66	51.42	100	200	39.89	41.65	225	13.2
- 505	4-1/2	55.36	57.34	100	200	44.33	46.32	225	14.8
- 506	5	60.67	62.85	50	200	48.59	50.76	175	16.3
- 507	5-1/2	65.36	67.73	50	200	52.18	54.56	175	17.8
- 509	6	70.60	73.16	50	200	56.37	58.93	150	19.3
- 510	6-1/2	76.34	-	50	200	60.95	63.72	150	20.7
- 511	7	81.09	84.03	50	200	64.74	67.68	150	22.2
- 512	7-1/2	85.93	-	50	200	68.61	71.73	125	23.7
- 513	8	91.93	95.27	50	200	73.40	76.73	125	25.2
- 514	8-1/2	-	-	-	-	78.03	81.58	120	26.7
- 515	9	-	-	-	-	81.08	84.76	120	28.3
- 516	9-1/2	-	-	-	-	87.08	91.04	115	29.8
- 517	10	-	-	-	-	90.75	94.87	110	31.3
- 519	11	-	-	-	-	100.14	104.69	100	34.3
- 520	12	-	-	-	-	-	-	90	37.4
- 521	13	-	-	-	-	-	-	80	40.4
- 522	14	-	-	-	-	-	-	75	43.4

Note: Please use Series and Size No. when ordering:
Example: 3/8 x 1-1/2 Carriage Bolt Bare Metal.

Stock Sizes are shown in **HEAVY** type.

	Series	Size No.
Case -	128	- 493
Bulk -	B128	- 493

Revised August 18, 2008

UNC CARRIAGE BOLTS


(Round Head Square Neck Bolts)



128 Bare

129 Plated

Low Carbon Steel
Bare Metal or Bright Zinc Plated
UNC - Unified National Coarse Thread



LIST PRICE PER 100 PIECES

7/16" DIA.									
Size No.	Length Under Head Inches	CASE-Bare	CASE-Plated	Pkg Qty	Case Qty	BULK-Bare	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.
		Coarse Thread 128	Coarse Thread 129			Coarse Thread B128	Coarse Thread B129		
- 536	1-1/4	\$31.44	\$32.42	50	600	\$26.02	\$27.00	450	7.2
- 538	1-1/2	34.83	35.91	50	400	28.82	29.91	400	8.0
- 540	1-3/4	37.36	36.52	50	400	30.92	32.08	350	8.8
- 541	2	41.15	41.48	50	300	32.77	34.10	325	9.9
- 542	2-1/4	43.76	45.20	50	300	35.71	37.16	325	10.9
- 543	2-1/2	48.32	49.92	50	300	39.44	41.04	275	12.0
- 545	3	55.21	57.04	50	200	45.06	46.89	225	14.0
- 546	3-1/4	59.01	60.96	50	200	48.16	50.12	200	15.1
- 547	3-1/2	63.89	66.00	50	200	52.14	54.26	200	16.1
- 549	4	72.88	75.29	50	200	59.48	61.89	175	18.2
- 550	4-1/2	81.77	84.48	50	200	66.74	69.45	150	20.2
- 551	5	90.31	93.30	50	200	73.71	76.70	125	22.3
- 552	5-1/2	98.13	-	50	200	80.09	83.34	125	24.3
- 554	6	107.25	110.79	50	200	87.53	91.08	110	26.4
- 555	6-1/2	-	-	50	150	-	-	110	28.2
- 556	7	-	-	50	150	-	-	110	30.3
- 557	7-1/2	-	-	50	150	-	-	110	32.4
- 558	8	-	-	50	150	-	-	110	34.4

Note: Please use Series and Size No. when ordering:

Example: 7/16 x 2 Carriage Bolt Bare Metal.

Stock Sizes are shown in **HEAVY** type.

	Series	Size No.
Case -	128	- 541
Bulk -	B128	- 541


Revised August 18, 2008

UNC CARRIAGE BOLTS

(Round Head Square Neck Bolts)



Low Carbon Steel
Bare Metal or Bright Zinc Plated
UNC - Unified National Coarse Thread



LIST PRICE PER 100 PIECES

128 Bare

129 Plated

1/2" DIA.

Size No.	Length Under Head Inches	CASE-Bare	CASE-Plated	Pkg Qty	Case Qty	BULK-Bare	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.
		Coarse Thread	Coarse Thread			Coarse Thread	Coarse Thread		
		128	129			B128	B129		
- 579	1	\$38.46	-	50	400	\$31.61	\$32.85	375	8.6
- 581	1-1/4	42.40	-	50	400	34.86	36.22	375	9.7
- 583	1-1/2	47.06	\$48.57	50	300	38.69	40.20	325	10.8
- 585	1-3/4	51.66	53.31	50	300	42.47	44.12	300	11.9
- 586	2	56.76	58.58	50	300	46.66	48.48	250	13.2
- 587	2-1/4	57.03	58.86	50	300	46.88	48.71	225	14.6
- 588	2-1/2	67.53	69.69	50	200	55.51	57.68	200	15.9
- 589	2-3/4	73.45	-	50	200	60.38	62.73	200	17.3
- 590	3	75.37	77.89	50	200	61.36	63.88	150	18.6
- 591	3-1/4	80.22	-	50	200	65.31	68.00	150	20.0
- 592	3-1/2	84.09	86.94	50	200	68.29	71.13	125	21.3
- 594	4	97.06	100.34	50	100	78.81	82.10	125	24.0
- 595	4-1/2	106.96	110.58	50	100	86.86	90.75	110	26.7
- 596	5	117.90	121.19	25	150	95.74	99.73	100	29.4
- 597	5-1/2	127.78	132.10	25	150	103.76	108.08	100	32.1
- 599	6	132.70	137.35	25	100	106.89	111.53	90	34.7
- 600	6-1/2	148.95	-	25	100	119.98	125.19	85	37.2
- 601	7	150.10	155.42	25	100	120.55	125.87	75	39.9
- 602	7-1/2	158.95	-	25	100	127.66	133.30	90	42.6
- 603	8	168.86	174.84	25	100	135.62	141.60	80	45.3
- 605	9	-	-	-	-	152.87	159.62	75	50.6
- 607	10	-	-	-	-	165.70	173.12	65	56.0
- 609	11	-	-	-	-	181.46	189.58	60	61.4
- 610	12	-	-	-	-	190.03	198.67	55	66.8
- 611	13	-	-	-	-	205.40	214.73	50	72.2
- 612	14	-	-	-	-	220.48	230.50	50	77.5

Note: Please use Series and Size No. when ordering:

Example: 1/2 x 2-1/2 Carriage Bolt Bare Metal.

Series Size No.

Case - **128** - **588**

Bulk - **B128** - **588**

Stock Sizes are shown in **HEAVY** type.

UNC CARRIAGE BOLTS


(Round Head Square Neck Bolts)



128 Bare

129 Plated

Low Carbon Steel
Bare Metal or Bright Zinc Plated
UNC - Unified National Coarse Thread



LIST PRICE PER 100 PIECES

5/8" DIA.									
Size No.	Length Under Head Inches	CASE-Bare	CASE-Plated	Pkg Qty	Case Qty	BULK-Bare	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.
		Coarse Thread 128	Coarse Thread 129			Coarse Thread B128	Coarse Thread B129		
- 670	1-1/4	-	-	-	-	\$55.81	\$57.96	225	16.6
- 672	1-1/2	\$80.36	-	25	200	66.21	68.76	200	18.3
- 675	2	93.70	-	25	150	77.20	81.17	175	21.8
- 677	2-1/2	109.09	-	25	150	89.88	93.34	150	25.9
- 679	3	119.92	-	25	100	97.64	101.65	125	30.1
- 680	3-1/4	126.86	-	25	100	103.28	107.52	120	32.2
- 681	3-1/2	138.39	-	25	100	112.66	117.29	110	34.3
- 682	3-3/4	140.69	-	25	100	114.53	119.24	105	36.4
- 683	4	160.33	-	25	100	130.53	135.89	100	38.5
- 684	4-1/2	172.19	-	25	100	140.18	145.94	90	42.7
- 685	5	188.00	-	25	50	153.06	159.35	70	46.8
- 686	5-1/2	210.05	-	25	75	171.01	178.03	70	51.0
- 688	6	211.62	-	25	50	170.45	177.86	70	55.2
- 689	6-1/2	224.15	-	25	75	180.54	188.39	65	59.1
- 690	7	242.61	-	25	75	195.41	203.90	60	63.3
- 691	7-1/2	248.88	-	20	60	200.46	209.17	55	67.4
- 692	8	274.72	-	20	40	221.28	230.90	50	71.6
- 693	8-1/2	-	-	-	-	233.17	243.31	50	75.8
- 694	9	-	-	-	-	244.57	255.21	50	80.0

Note: Please use Series and Size No. when ordering:

Example: 5/8 x 3 Carriage Bolt Bare Metal.

Stock Sizes are shown in **HEAVY** type.

	Series	Size No.
Case -	128	- 679
Bulk -	B128	- 679


Revised August 18, 2008

UNC CARRIAGE BOLTS

(Round Head Square Neck Bolts)



Low Carbon Steel
Bare Metal or Bright Zinc Plated
UNC - Unified National Coarse Thread



LIST PRICE PER 100 PIECES

128 Bare

129 Plated

3/4" DIA.									
Size No.	Length Under Head Inches	CASE-Bare	CASE-Plated	Pkg Qty	Case Qty	BULK-Bare	BULK-Plated	Bulk Qty	Approx. Weight 100 Pcs.
		Coarse Thread 128	Coarse Thread 129			Coarse Thread B128	Coarse Thread B129		
- 717	2	-	-	-	-	\$117.84	\$120.86	110	33.7
- 719	2-1/2	-	-	-	-	137.62	141.15	95	39.0
- 720	2-3/4	-	-	-	-	147.13	150.90	90	42.0
- 721	3	-	-	-	-	155.79	151.79	85	45.1
- 723	3-1/2	-	-	-	-	176.56	151.79	75	51.1
- 725	4	-	-	-	-	200.27	195.14	65	57.1
- 726	4-1/2	-	-	-	-	223.53	217.80	55	63.2
- 727	5	-	-	-	-	232.66	226.69	55	69.2
- 728	5-1/2	-	-	-	-	264.38	257.60	50	75.3
- 730	6	-	-	-	-	286.04	264.04	45	81.3
- 732	7	-	-	-	-	322.64	297.92	40	92.9
- 734	8	-	-	-	-	366.95	338.72	35	105.0
- 736	9	-	-	-	-	405.69	374.48	30	117.0

Note: Please use Series and Size No. when ordering:
Example: 3/4 x 4 Carriage Bolt Bare Metal.

Stock Sizes are shown in **HEAVY** type.

	Series	Size No.
Case -	128	- 725
Bulk -	B128	- 725