
Steel City®

Spring Steel Fasteners

Beam, Purlin and Hangers

Beam Clamps




Features

- Hangs on box from the underside or to the front of beam flanges
- When used with combination conduit hanger, the conduit run lines up with "knock-outs" in outlet box and eliminates offsets and bends
- 1/4 in.-20 threaded opening
- Also available with staked stud, 1/4 in.-20 x 3/8 in. to provide easier attachment of outlet boxes to beams. Eliminates having to use loose screws.
- Supports 100 lb. static vertical load limit
- · Installs easily with a hammer

Features

- Clips fit most bulb tees and beam flanges
- 1/4 in. hole provided
- Installs easily with a hammer









Cat. No.	Fig. No.	Description	Static Load Limit	Qty. Per Box		
Hammer on Flange Clips						
SSF-BF1/8	1	Hammer-on Flange clip fits 3/32 in 9/64 in. flange thickness	160	- 100		
SSF-BF1/4	1	Hammer-on Flange clip fits 1/8 in 1/4 in. flange thickness	200			
SSF-BF1/2	1	Hammer-on Flange clip fits 5/16 in 1/2 in. flange thickness	200			
SSF-BF3/4	1	Hammer-on Flange clip fits 9/16 in 3/4 in. flange thickness	200			
SSF-BFF1/8	2	Hammer-on Flange clip fits 3/32 in 9/64 in. flange thickness with horizontal tab	50	25		
SSF-BFF1/4	2	Hammer-on Flange clip fits 1/8 in 1/4 in. flange thickness with horizontal tab	50			
SSF-BFF1/2	2	Hammer-on Flange clip fits 5/16 in 1/2 in. flange thickness with horizontal tab	50			
SSF-BFF3/4*	2	Hammer-on Flange clip fits 9/16 in 3/4 in. flange thickness with horizontal tab	50			

*UL/cUL not applicable







。(中)

(46)

Cat. No.	Fig. No.	Description	Static Load Limit	Qty. Per Box
Hammer or	n Flange	e Clips		
SSF-BH1/4	1	Clip without stud, 1/8 in1/4 in. flange thickness	100	100
SSF-BH1/2	1	Clip without stud, 5/16 in1/2 in. flange thickness		
SSF-BH3/4	1	Clip without stud, 9/16 in3/4 in. flange thickness		
SSF-BH1/4S	2	Clip with stud, 1/8 in1/4 in. flange thickness		
SSF-BH1/2S	2	Clip with stud, 5/16 in1/2 in. flange thickness		
SSF-BH3/4S	2	Clip with stud, 9/16 in3/4 in. flange thickness		

