

Carbide-Tipped Hole Cutters

Carbide Hole Cutter

Cat. No.	Size	Conduit & Pipe Sizes	Weight (lbs.)
31850	3/4"	-	.25
31852	7/8"	1/2"	.30
31854	1"	-	.35
31856	1-1/8"	3/4"	.40
31857	1-7/32"	-	.40
31858	1-1/4"	-	.40
31860	1-3/8"	1"	.45
31862	1-7/16"	-	.40
31864	1-1/2"	-	.45
31866	1-3/4"	1-1/4"	.70
31868	2"	1-1/2"	.80
31870	2-1/2"	2"	.95

Replacement Parts

31874	replacement hole cutter pilot bit	.05
-------	-----------------------------------	-----



NEW!

31860

- Cuts quick, precise holes in stainless steel, mild steel, iron, copper and brass sheet up to 3/16" (5 mm) thick.
- Smooth start pilot drill bit for greater control.
- Split point pilot drill bit prevents bit walking.
- Integrated flange prevents the operator from drilling beyond the sheet metal.
- Ejection spring for easy slug removal.

Carbide-Tipped Hole Cutter Kits

4-Piece Carbide Hole Cutter Kit

- Cuts quick, precise holes in stainless steel, mild steel, iron, copper and brass sheet up to 3/16" (5 mm) thick.
- Split point pilot drill bit prevents bit walking.
- Integrated flange prevents the operator from drilling beyond the sheet metal.
- Conduit and pipe sizes: 1/2"-1".

Cat. No.	Set Contains	Weight (lbs.)
31872		1.45

Carbide Hole Cutters

Cat. No.	Size
31852	7/8"
31856	1-1/8"
31860	1-3/8"
extra pilot bit	



NEW!

31872

8-Piece Master Electrician's Hole Cutter Kit

- Cuts quick, precise holes in stainless steel, mild steel, iron, copper and brass sheet up to 3/16" (5 mm) thick.
- Split point pilot drill bit prevents bit walking.
- Integrated flange prevents the operator from drilling beyond the sheet metal.
- Conduit and pipe sizes: 1/2"-2"

Cat. No.	Set Contains	Weight (lbs.)
31873		4.30

Carbide Hole Cutters

Cat. No.	Size
31852	7/8"
31856	1-1/8"
31860	1-3/8"
31866	1-3/4"
31868	2"
31870	2-1/2"
2 extra pilot bits	



NEW!

31873

All dimensions are in inches and (millimeters) unless otherwise specified.

▲WARNING: Never use on or near live electrical circuits.

▲WARNING: Always ensure that you and persons in the vicinity wear approved eye protection.

