S2C-H01



Products + Low Voltage Products and Systems + Modular DIN Rail Products + Miniature Circuit Breakers MCBs Accessories + Auxiliary / Signal Contacts

General Information

Extended Product Type: S2C-H01

Product ID: 2CDS200970R0001 **EAN**: 4016779645515

Catalog Description: S2C-H01 - Auxiliary Contact

Long Description: Indication of the position of the device's contacts. S2C-H01 is the opening

device and S2C-H10 the closing device. Compared to the S2C-S/H6R, the S2C-H10 entails less cost and many practical benefits. It can be fitted at the bottom of the MCBs and RCDs and is thus much more convenient for retrofitting than the side-mounted device because not all MCBs have to be removed from the rail first. And even when the MCBs affected are connected to a busbar, they do not have to be removed. 50% space can be saved. Sui

table for MCBs S200 series, electronic RCBOs DSE200 series.

Ordering

EAN: 4016779645515

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85365080

Dimensions

Product Net Width: 17.4 mm

Product Net Height: 21.2 mm

Product Net Depth: 23.1 mm

Product Net Weight: 0.008 kg

Container Information

Package Level 1 Units: 1 piece

Package Level 1 Width: 20 mm

Package Level 1 Height: 125 mm

Package Level 1 Length: 106 mm

Package Level 1 Gross Weight: 0.012 kg

Package Level 1 EAN: 4016779645515

Package Level 2 Units: 60 piece

Package Level 2 Width: 140 mm

Package Level 2 Height: 275 mm

Package Level 2 Length: 433 mm

Package Level 2 Gross Weight: 2.6 kg

Package Level 2 EAN: 4016779830379

Environmental

RoHS Status: Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information

Accessory Type:	Auxiliary Contact
Function:	Auxiliary Contact
Power Loss:	0,5 W
Product Main Type:	Auxiliary Contact
Product Name:	Auxiliary Contact
RoHS Date:	0335
Standards:	GB14048.5
	CSA 22.2 No. 235
	UL 1077
Suitable For:	S200
	S200M
	S200P
	S200S
	DSE200
Suitable for Product Class:	Miniature Circuit Breaker

Certificates and Declarations (Document Number)

Data Sheet, Technical Information: 9AKK106930A8017

Declaration of Conformity - CE: 2CDK400628D2701

Environmental Information: 2CDK400571D0201

Instructions and Manuals: GHS2007008P0008

RoHS Information: 2CDK440032D0203

Residual Current Device

Classifications

eClass:	7.0 27143502
E-nummer:	2102504
ETIM 4:	EC001286 - Auxiliary contact unit for distribution board
ETIM 5:	EC001286 - Auxiliary contact unit for distribution board
ETIM 6:	EC001286 - Auxiliary contact unit for distribution board
UNSPSC:	39121614

