




AddENERGIE ——

Table of Contents

Products Listing.																3
Services Listing																6





Products Listing

Product code	Description	
C+V2-EVSE-30-25-LC1- RR1-NSL-FL-NRRV-ST	CoRe+ Charging station, wall mounted, 30A, 25 feet cable, LCD Display, RFID reader, network ready - FLO - NRRV	
C+V2-EVSE-30-25-LC1- RR1-NSL-FL-NRRV-PS	CoRe+ PS Charging station (Power Sharing), wall mounted, controlled from 8 to 30A, 25 feet cable, LCD Display, RFID reader, network ready - FLO - NRRV	
C+V2-EVSE-30-25-LED- NOR-NSL-FL-NRRV-ST	CoRe+ VB Charging station (basic version), wall mounted, 30A, 25 feet cable, no networking, no display and no reader - FLO - NRRV	
C+V1-PED-RV-GRRV	CoRe+ pedestal for one or two charging station - GRRV	
CM-F1-GRRV	Cable management system - GRRV	

Products Listing

Product code	Description	
CM-E1-GRRV	Cable management column - GRRV	Photo
C+-BSS-GRRV	CoRe+ bracket, side by side configuration - GRRV	
CM-S1-FL-BCCE	Cable management system sign - FLO - BCCE	
C+V1-PWCK-40	Pedestal cascading mounting bracket with terminal block for up to #4 gauge CU conductors	
C+V1-PWCK-150	Pedestal cascading mounting bracket with terminal block for up to #2/0 gauge CU or AL conductors	



Products Listing

Product code	Description	
Breaker-40D	Double 40A breaker for cascading mounting bracket	
C+V1-ANCHOR	CoRe+ pedestal anchor kit for onsite made concrete base	
SIGN-RESE-GEN-EN	Parking Sign: Reserved - Electric Vehicle Charging	RESERVED ELECTRIC VEHICLE CHARGING *** *** *** *** *** *** *** *** ***
SIGN-RESE-EMP-EN	Parking Sign: Employee Only	EMPLOYEE ONLY
SIGN-RESE-VIS-EN	Parking Sign: Visitor Only	VISITOR ONLY •



Services Listing

Product code	Summary Description	Detailed Description
SP-SS	Site survey prior to the charging station installation ¹	 Required when the client subscribes to the management service for one or more charging stations for a site for which communication will be done through a 3G cellular network or through a DSL connection. Defines the location of the gateway and the DSL modem (if applicable) to ensure the quality of the communication between components.
SP-CONFIG	Local configuration service for all the stations at a site	Required when the client wants to configure a charging station or a network of charging stations
SP-TLAN	Communication integration service over an existing LAN ³	 Required when the client subscribes to the management service for one or more charging stations for a site where the communication will be integrated to an existing local area network (LAN). Determines the position of the gateway to ensure communication with the charging stations. Configures the LAN and puts the communication gateway into operation The gateway is provided by AddÉnergie.
SP-SGG-01	Global management service for one station for 1 year ²⁻³	 Required for all charging stations in a management network. Includes payment management of the charging service, customer service 24/7, surveillance of the charging stations, access control of the charging station for private users through an RFID card and mobile application, the access to an operator Web portal, etc. Includes a communication gateway and a 3G subscription for one site, for as long as the client subscribes to the service. Allows to statically limit the charging current of a charging station. Allows to dynamically limit the charging current of a group of charging stations. Allows charging stations to interface with the existing energy management system of the building to avoid exceeding the chargeable power.
SP-GE-C+-01	Extended warranty for one charging station for 1 year ⁴	 Extends the base warranty (of 1 year) of up to 5 years on all hardware components provided by AddÉnergie. Covers parts and labor required to repair defective equipment. The warranty will be applied on a repair basis (the defective charging station is sent back to AddÉnergie, repaired, and then returned to the client) or replacement (with a charging station refurbished similar to the defective one).

Note 1: There will be additional charges for any travelling required in order to provide the service.

Note 2: For more details, please refer to the detailed terms and conditions of the service.

Note 3: In all cases where the client subscribes to the management service, the client must provide for a PVC case as well as required gateway wiring. Please refer to the Communication Gateway Installation Guide for more details.

Note 4: See Warranty Terms and Conditions for more details.

