

CP1-30R-10



PUSHBUTTON#CP1-30R-10

General Information

Extended Product Type	CP1-30R-10
Product ID	1SFA619100R3011
EAN	7320500241417
Catalog Description	PUSHBUTTON#CP1-30R-10
Long Description	Compact Pushbutton - Momentary - Flush - Red - Non-illuminated - Chrome plastic - 1NO

Ordering

EAN	7320500241417
Minimum Order Quantity	10 piece
Customs Tariff Number	8536501999

Dimensions

Product Net Width	0.030 m
Product Net Height	0.030 m
Product Net Depth / Length	0.055 m
Product Net Weight	0.032 kg

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.1 m
Package Level 1 Height	0.03 m
Package Level 1 Depth / Length	0.1 m
Package Level 1 Gross Weight	0.032 kg
Package Level 2 Units	10

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Actuator Type	Flush
---------------	-------

Bezel Material	Chrome metal
Block	1NO
Color	Red
Degree of Protection	Front IP69K Terminals IP20
Function	Momentary
Illumination	Non-illuminated
Mechanical Durability	0.5 million
Number of Auxiliary Contacts NO	1
Product Main Type	CP1
Product Name	Pushbutton
Product Range	Compact
Product Type	CP
Rated Frequency (f)	Supply Circuit 50 Hz Supply Circuit 60 Hz
Rated Operational Current AC-15 (I _θ)	(24 / 127 V) 1.5 A (220 / 240 V) 1 A
Rated Operational Current DC-13 (I _θ)	(24 V) 0.3 A (125 V) 0.2 A
RoHS Date	0626 5

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SFC151005C0201
Declaration of Conformity - CE	1SFA1-70
Environmental Information	1SFC151009D0201
Instructions and Manuals	1SFC151005C0201
RoHS Information	1SFC151012D0202

Classifications

ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC001028 - Push button, complete
ETIM 6	EC001028 - Push button, complete
ETIM 7	EC001028 - Push button, complete
Object Classification Code	S
UNSPSC	39121512
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Compact Range

