


# Cushion-Grip Screwdrivers

Meets or exceeds applicable ASME / ANSI specifications


**Tip-Ident®** quickly identifies the type of screwdriver and tip orientation



## Color-Coded Cushion-Grip Screwdrivers

Includes core Cushion-Grip screwdriver features plus:

- Color-coded handle ends for quick and easy identification
- TORX® tip drive cuts slippage, saves fasteners and transmits more torque to the work



660

Cat. No.	Tip Type	Shank Type	Shank Length	Color Code	Overall Length	Weight
660	#0 Square-Recess	Round	4" (101.6 mm)	Yellow	7.75" (196.9 mm)	0.20 lb (0.09 kg)
661	#1 Square-Recess	Round	4" (101.6 mm)	Green	7.75" (196.9 mm)	0.20 lb (0.09 kg)
662	#2 Square-Recess	Round	4" (101.6 mm)	Red	8.25" (209.6 mm)	0.30 lb (0.14 kg)
663	#3 Square-Recess	Round	4" (101.6 mm)	Black	8.25" (209.6 mm)	0.30 lb (0.14 kg)
665	#1 Square-Recess	Round	8" (203.2 mm)	Green	11.75" (298.5 mm)	0.30 lb (0.14 kg)
666	#2 Square-Recess	Round	8" (203.2 mm)	Red	12.25" (311.2 mm)	0.40 lb (0.18 kg)
667	#3 Square-Recess	Round	8" (203.2 mm)	Black	12.25" (311.2 mm)	0.40 lb (0.18 kg)
668	#1 Square-Recess	Round	1.5" (38.1 mm)	Green	3.438" (87.3 mm)	0.15 lb (0.07 kg)
19542	T15 TORX®	Round	4" (101.6 mm)	Yellow	8.313" (211.2 mm)	0.20 lb (0.09 kg)
19543	T20 TORX®	Round	4" (101.6 mm)	Green	8.313" (211.2 mm)	0.25 lb (0.11 kg)
19544	T25 TORX®	Round	4" (101.6 mm)	Blue	8.313" (211.2 mm)	0.25 lb (0.11 kg)
19545	T27 TORX®	Round	4" (101.6 mm)	Brown	8.313" (211.2 mm)	0.25 lb (0.11 kg)
19546	T30 TORX®	Round	4" (101.6 mm)	Red	8.313" (211.2 mm)	0.25 lb (0.11 kg)

TORX® is a registered trademark of Acument Intellectual Properties, LLC.

Cat. No.	Set Contains	Weight
19555	TORX® Cushion-Grip Screwdriver Set 5-Piece	1.2 lb (0.5 kg)

Cat. No.	Description
19542	T15 TORX® Screwdriver, Round Shank, Cushion Grip
19543	T20 TORX® Screwdriver, Round Shank, Cushion Grip
19544	T25 TORX® Screwdriver Round Shank, Cushion Grip
19545	T27 TORX® Screwdriver, Round Shank, Cushion Grip
19546	T30 TORX® Screwdriver, Round Shank, Cushion Grip

Cat. No.	Set Contains	Weight
85664	4 Piece Square Recess Screwdriver Set	1.5 lb (0.7 kg)

Cat. No.	Description
660	#0 Square Recess Screwdriver 4" Shank
661	Screwdriver, #1 Square Recess Tip, 4" Shank
662	#2 Square Screwdriver with 4" Round Shank
663	#3 Square Recess Screwdriver, 4" Round Shank

## Miniature Screwdrivers



608-6

Cat. No.	Tip Type	Shank Type	Shank Length	Overall Length	Weight
604-3	#0 Phillips	Round	3" (76.2 mm)	5.75" (146.1 mm)	0.6 oz (17 g)
606-2	1/16" (1.59 mm) Keystone	Round	2" (50.8 mm)	4.75" (120.7 mm)	0.5 oz (14 g)
607-3	3/32" (2.4 mm) Cabinet	Round	3" (76.2 mm)	5.75" (146.1 mm)	0.6 oz (17 g)
607-4	3/32" (2.4 mm) Cabinet	Round	4" (101.6 mm)	6.75" (171.5 mm)	0.6 oz (17 g)
608-2	1/8" (3.2 mm) Cabinet	Round	2" (50.8 mm)	4.75" (120.7 mm)	0.5 oz (14 g)
608-3	1/8" (3.2 mm) Cabinet	Round	3" (76.2 mm)	5.75" (146.1 mm)	0.6 oz (17 g)
608-4	1/8" (3.2 mm) Cabinet	Round	4" (101.6 mm)	6.75" (171.5 mm)	0.8 oz (23 g)
608-6	1/8" (3.2 mm) Cabinet	Round	6" (152.4 mm)	8.75" (222.3 mm)	0.8 oz (23 g)
608-8	1/8" (3.2 mm) Cabinet	Round	8" (203.2 mm)	10.75" (273.1 mm)	0.8 oz (23 g)
608-10	1/8" (3.2 mm) Cabinet	Round	10" (254.0 mm)	12.75" (323.9 mm)	0.8 oz (23 g)

Cat. No.	Set Contains	Weight
85484	Mini Cushion-Grip Screwdriver Set 4 Piece	0.14 lb (0.06 kg)

Cat. No.	Description
604-3	#0 Phillips Mini Screwdriver, 3", Cushion Grip
606-2	1/16" Keystone Tip Mini Screwdriver, 2"
607-3	Mini Screwdriver, 3/32" Cabinet Tip, 3"
608-3	Mini Screwdriver, 1/8" Cabinet, 3" Shank



## Cushion-Grip Screwdrivers

### Cushion-Grip Screwdrivers

Includes core Cushion-Grip screwdriver features plus:

- Narrow cabinet-tip permits blade access where space is limited
- Precision machined combo-tip designed for combination head screws
- Precision machined Phillips tip provides a more consistent geometric symmetry than conventional Phillips screwdrivers to accurately fit and torque without slippage
- Heavy-duty square shank and hex bolster allows wrench-assisted turning
- Bolster reinforces shank for hard use



Cat. No.	Tip Type	Shank Type	Shank Length	Overall Length	Weight
600-1	5/16" (7.9 mm) Cabinet	Round	1.5" (38.1 mm)	3.438" (87.3 mm)	1.6 oz (45 g)
601-3	3/16" (4.8 mm) Cabinet	Round	3" (76.2 mm)	6.75" (171.5 mm)	1.6 oz (45 g)
601-4	3/16" (4.8 mm) Cabinet	Round	4" (101.6 mm)	7.75" (196.9 mm)	2.4 oz (68 g)
601-6	3/16" (4.8 mm) Cabinet	Round	6" (152.4 mm)	9.75" (247.7 mm)	2.4 oz (68 g)
601-8	3/16" (4.8 mm) Cabinet	Round	8" (203.2 mm)	11.75" (298.5 mm)	3.2 oz (91 g)
601-10	3/16" (4.8 mm) Cabinet	Round	10" (254.0 mm)	13.75" (349.3 mm)	3.2 oz (91 g)
7314	#1 Combo	Round	4" (101.6 mm)	8.344" (211.9 mm)	4.8 oz (136 g)
7324	#2 Combo	Round	4" (101.6 mm)	8.344" (211.9 mm)	4.8 oz (136 g)
603-1	#2 Phillips	Round	1.5" (38.1 mm)	3.438" (87.3 mm)	1.6 oz (45 g)
603-3	#1 Phillips	Round	3" (76.2 mm)	6.75" (171.5 mm)	2.4 oz (68 g)
603-4	#2 Phillips	Round	4" (101.6 mm)	8.25" (209.6 mm)	4.0 oz (113 g)
603-6	#3 Phillips	Round	6" (152.4 mm)	11" (279.4 mm)	5.6 oz (159 g)
603-7	#2 Phillips	Round	7" (177.8 mm)	11.313" (287.4 mm)	4.8 oz (136 g)
603-10	#2 Phillips	Round	10" (254.0 mm)	14.313" (363.6 mm)	5.6 oz (159 g)
<b>Heavy Duty</b>					
605-4	1/4" (6.4 mm) Cabinet	Round	4" (101.6 mm)	8.344" (211.9 mm)	4.0 oz (113 g)
605-6	1/4" (6.4 mm) Cabinet	Round	6" (152.4 mm)	10.344" (262.7 mm)	4.8 oz (136 g)
605-8	1/4" (6.4 mm) Cabinet	Round	8" (203.2 mm)	12.344" (313.5 mm)	4.8 oz (136 g)
605-10	1/4" (6.4 mm) Cabinet	Round	10" (254.0 mm)	14.344" (364.3 mm)	5.6 oz (159 g)
<b>Heavy Duty with Bolster</b>					
600-4	1/4" (6.4 mm) Keystone	Square	4" (101.6 mm)	8.344" (211.9 mm)	4.0 oz (113 g)
600-6	5/16" (7.9 mm) Keystone	Square	6" (152.4 mm)	10.938" (277.8 mm)	6.4 oz (181 g)
600-8	3/8" (9.52 mm) Keystone	Square	8" (203.2 mm)	13.438" (341.3 mm)	10.4 oz (295 g)
600-12	1/2" (12.7 mm) Keystone	Square	12" (304.8 mm)	17.438" (442.9 mm)	12.8 oz (363 g)
<b>Heavy Duty with Hex Bolster</b>					
602-3	7/32" (5.6 mm) Keystone	Round	3" (76.2 mm)	6.75" (171.5 mm)	2.4 oz (68 g)
602-4	1/4" (6.4 mm) Keystone	Round	4" (101.6 mm)	8.344" (211.9 mm)	4.0 oz (113 g)
602-6	5/16" (7.9 mm) Keystone	Round	6" (152.4 mm)	10.938" (277.8 mm)	5.6 oz (159 g)
602-8	3/8" (9.52 mm) Keystone	Round	8" (203.2 mm)	13.438" (341.3 mm)	8.8 oz (249 g)
602-10	3/8" (9.52 mm) Keystone	Round	10" (254.0 mm)	15.438" (392.1 mm)	9.6 oz (272 g)
602-12	3/8" (9.52 mm) Keystone	Round	12" (304.8 mm)	17.438" (442.9 mm)	10.4 oz (295 g)

Cat. No.	Set Contains	Weight
85078	8 Piece Cushion-Grip Screwdriver Set	1.7 lb (0.8 kg)

Cat. No.	Description
600-4	1/4" Screwdriver Heavy Duty Square Shank
602-6	5/16" Keystone Tip Screwdriver, 6" Length
600-1	5/16" Cabinet Tip Screwdriver 1-1/2"
601-3	3/16" Cabinet Tip Screwdriver 3"
603-3	#1 Phillips Screwdriver, 3" Round Shank
603-1	Stubby Screwdriver, #2 Phillips, 1-1/2" Shank
603-4	#2 Phillips Screwdriver 4" Round Shank
603-6	#3 Phillips Screwdriver 6" Round Shank

Cat. No.	Set Contains	Weight
85076	7 Piece Cushion-Grip Screwdriver Set	1.5 lb (0.7 kg)

Cat. No.	Description
600-4	1/4" Screwdriver Heavy Duty Square Shank
602-6	5/16" Keystone Tip Screwdriver, 6" Length
601-3	3/16" Cabinet Tip Screwdriver 3"
601-6	3/16" Cabinet Tip Screwdriver 6"
605-4	1/4" Cabinet Tip Screwdriver 4" Shank
603-3	#1 Phillips Screwdriver, 3" Round Shank
603-4	#2 Phillips Screwdriver 4" Round Shank

Cat. No.	Set Contains	Weight
85074	Screwdriver Set, Cushion Grip, 6-Piece	1.5 lb (0.7 kg)

Cat. No.	Description
600-4	1/4" Screwdriver Heavy Duty Square Shank
600-6	5/16" Keystone Screwdriver 6" SQ Shank
601-3	3/16" Cabinet Tip Screwdriver 3"
603-3	#1 Phillips Screwdriver, 3" Round Shank
603-4	#2 Phillips Screwdriver 4" Round Shank
603-6	#3 Phillips Screwdriver 6" Round Shank

Cat. No.	Set Contains	Weight
85075	Cushion-Grip Screwdriver Set, 5-Piece	1.3 lb (0.6 kg)

Cat. No.	Description
602-6	5/16" Keystone Tip Screwdriver, 6" Length
600-4	1/4" Screwdriver Heavy Duty Square Shank
601-6	3/16" Cabinet Tip Screwdriver 6"
605-6	1/4" Cabinet Tip Screwdriver, Heavy Duty, 6"
603-4	#2 Phillips Screwdriver 4" Round Shank

Cat. No.	Set Contains	Weight
85105	4 Piece Cushion-Grip Screwdriver Set	1.5 lb (0.7 kg)

Cat. No.	Description
600-6	5/16" Keystone Screwdriver 6" SQ Shank
600-4	1/4" Screwdriver Heavy Duty Square Shank
601-6	3/16" Cabinet Tip Screwdriver 6"
603-4	#2 Phillips Screwdriver 4" Round Shank

Cat. No.	Set Contains	Weight
85071	Stubby Screwdriver Set, Cushion Grip, 2-Piece	0.30 lb (0.14 kg)

Cat. No.	Description
600-1	5/16" Cabinet Tip Screwdriver 1-1/2"
603-1	Stubby Screwdriver, #2 Phillips, 1-1/2" Shank

Cat. No.	Set Contains	Weight
32378	Combo Tip Driver Set 4"	1.5 lb (0.7 kg)

Cat. No.	Description
7314	#1 Combo-Tip Driver, 4" Fixed Blade
7324	#2 Combo Tip Driver, 4" Fixed Blade

Cat. No.	Set Contains	Weight
85072	Long Blade Screwdriver Set, 10", 2-Piece	0.70 lb (0.32 kg)

Cat. No.	Description
603-10	#2 Phillips Screwdriver 10" Round Shank
605-10	1/4" Cabinet Tip Screwdriver, 10" Shank

See page 297 for additional information on warnings.



## Cushion-Grip Screwdrivers

### Demolition Screwdrivers

Includes core Cushion-Grip screwdriver features plus:

- Engineered, manufactured and tested for prying, chiseling and punching
- Plated metal strike cap to protect handle from hammer blows
- Heat treated metal shaft runs complete length of handle to metal strike cap to transfer metal strike force



602-7DD



Cat. No.	Tip Type	Shank Type	Shank Length	Overall Length	Weight
602-4DD	1/4" (6.4 mm) Cabinet	Round	4" (101.6 mm)	9" (228.6 mm)	5.9 oz (167 g)
602-7DD	5/16" (7.9 mm) Keystone	Round	7" (177.8 mm)	12.375" (314.3 mm)	9.0 oz (255 g)
6034DD	#2 Phillips	Round	4" (101.6 mm)	9" (228.6 mm)	5.9 oz (167 g)

Cat. No.	Set Contains	Weight
32008	Demolition Driver Set	0.70 lb (0.32 kg)

Cat. No.	Description
602-4DD	1/4" Keystone Demolition Driver, 4" Shank
6034DD	#2 Phillips Demolition Driver, 4" Shank

### Electronics Screwdrivers

Includes core Cushion-Grip screwdriver features plus:

- Rotating cap for optimum and precise control



614-6



Cat. No.	Tip Type	Shank Type	Shank Length	Overall Length	Weight
613-3	#0 Phillips	Round	3" (76.2 mm)	6.5" (165.1 mm)	0.8 oz (23 g)
614-2	1/16" (1.59 mm) Cabinet	Round	2" (50.8 mm)	5.5" (139.7 mm)	0.8 oz (23 g)
614-3	3/32" (2.4 mm) Cabinet	Round	3" (76.2 mm)	6.5" (165.1 mm)	0.8 oz (23 g)
614-4	1/8" (3.2 mm) Cabinet	Round	4" (101.6 mm)	7.5" (190.5 mm)	0.8 oz (23 g)
614-6	1/8" (3.2 mm) Cabinet	Round	6" (152.4 mm)	9.5" (241.3 mm)	0.8 oz (23 g)

Cat. No.	Set Contains	Weight
85614	5 Piece Electronics Screwdriver Set	0.80 lb (0.36 kg)

Cat. No.	Description
614-2	1/16" Slotted Electronics Screwdriver, 2"
614-3	3/32" Slotted Electronics Screwdriver, 3"
614-4	1/8" Cabinet Electronics Screwdriver, 4"
614-6	1/8" Cabinet Electronics Screwdriver, 6"
613-3	#0 Phillips Electronics Screwdriver, 3"

### Coated Screwdrivers

Includes core Cushion-Grip screwdriver features plus:

- Plastic coated for circuit protection only. NOT INSULATED
- Special plastic coating resists cutting, cracking and chipping
- Thin coating permits use in confined areas



620-4

Cat. No.	Tip Type	Shank Type	Shank Length	Overall Length	Weight
620-3	3/16" (4.8 mm) Cabinet	Round	3" (76.2 mm)	6.75" (171.5 mm)	2.4 oz (68 g)
620-4	1/4" (6.4 mm) Cabinet	Round	4" (101.6 mm)	8.344" (211.9 mm)	3.2 oz (91 g)
620-6	5/16" (7.9 mm) Cabinet	Round	6" (152.4 mm)	10.938" (277.8 mm)	6.4 oz (181 g)
620-8	3/8" (9.52 mm) Cabinet	Round	8" (203.2 mm)	13.438" (341.3 mm)	9.6 oz (272 g)
621-6	3/16" (4.8 mm) Cabinet	Round	6" (152.4 mm)	9.75" (247.7 mm)	3.2 oz (91 g)
621-8	3/16" (4.8 mm) Cabinet	Round	8" (203.2 mm)	11.75" (298.5 mm)	3.2 oz (91 g)

### 2-in-1 Rapi-Driv®

- Interchangeable bit holder allows quick switching between tip styles and works with other standard size bits
- Crank-action handle allows you to spin screws fast with one hand
- Blast finish bit provides firm grip on fasteners to reduce cam out



67100



Cat. No.	Phillips Bits	Slotted Bits	Shank Length	Handle Color	Overall Length	Weight
67100	#2	3/16" (4.8 mm)	6" (152.4 mm)	Black	9.75" (247.7 mm)	0.26 lb (0.12 kg)

