



GREENLEE®

Professional. Nothing Less.™

G3 AUTO WHIP CLAD CABLE CUTTER

Job Setup		Machine Id		RESIST	
Cable	Cable Type	Cable	Finish	Depth	
Manufacturer	12-4 SLD	STEEL		0.00	
Whip Qty Requested	5	Job #	Quantity		
Tail	Whip Length	Lead			
4.0"	12.0"	4.0"			
Cable Type	Whip Config	Load Cable	Inspect 1st Piece	Cycle Start	

MC, AC/BX & FLEX CABLE

 **GREENLEE**
A Troxon Company

C3CAN Clad Cable Cutter
Serial No. JAC 1001
120V 5A / 120 V 5 A



WARNING

- To reduce the risk of injury, user must read instruction manual.
- Follow directions in instruction manual when changing wire blades.
- Do not use compressed gas to remove chips or clean unit. Only use vacuum or brush.

AVERTISSEMENT

- Pour réduire le risque de blessure, l'utilisateur doit lire et respecter les instructions.
- Suivez les directives dans le manuel d'instruction pour changer les lames de la scie.
- Ne pas utiliser de gaz comprimé pour nettoyer les copeaux ou nettoyer l'unité. Utilisez un aspirateur ou une brosse adhésive.

THIS DEVICE EXCEEDS 25KG
Greenlee / A Troxon Company
4455 Boeing Drive, Rockford, IL 61109-2988 USA




GREENLEE





C3 AUTO WHIP™

Traditional methods of measuring, notching and cutting armored cable are repetitive and labor intensive.

The C3CAN is faster than manual operation
and much safer and easier than using a bulky exposed saw.

- Quick setup and lights-out operation
- Fully enclosed housing protects the operator
- Fits on a standard workbench
- Stores information on up to 48 different cables and 96 whip configurations
- Easily programmable touch-screen interface
- Effortlessly change between whip configurations
- Load custom whip configurations using a USB stick





ORDERING INFORMATION

CAT. NO.	UPC NO.	DESCRIPTION
C3CAN	08387	CLAD CABLE CUTTER

SPECIFICATIONS

COMPATIBILITY	Type AC/BX cable, MC cable and FMC
CABLE SIZES:	1/2"–1" OD
DIMENSIONS:	27.3" W x 22.6" D x 19.1" H
WEIGHT:	170 lbs (77 kg)





- 1 Designed for AC/BX cable, MC cable and FMC. Compatible with aluminium and steel cable with an outside diameter (OD) of 1/2"–1
- 2 Automated notching and cutting stations with automatic cable feed
- 3 Precision servo controls for accuracy and repeatability
- 4 Polycarbonate shield to safely view the cutting operation—also allows access for blade replacement
- 5 Touch-screen interface to change quickly between whip configurations
- 6 USB port to upload custom whip configurations
- 7 Configured for lockout/tagout to ensure machine is de-energized during blade changes
- 8 Removable chip tray to easily discard cutting debris

LIGHTS OUT CAPABILITY Set Up and Walk Away



CARBIDE TIPPED BLADES Clean Cuts with No Jagged Edges



AUTOMATED INTELLIGENCE

The C3CAN is a safer and more productive automated solution for measuring, notching and cutting armored cable.



AUTO WHIP™

OPTIONAL COMPLIMENTARY PRODUCTS:



CAT. NO.	UPC NO.	DESCRIPTION
3548X	01513	Mobile Workbench without Chain Vise

CAT. NO.	UPC NO.	DESCRIPTION
37218	37218	Armored Cable Dispenser

CAT. NO.	UPC NO.	DESCRIPTION
RXM	05711	Reel Stand



WWW.GREENLEE.COM MA6840 05/18
 4455 Boeing Dr • Rockford, IL 61109 • USA • 800-435-0786
 ©2018 Greenlee Inc. • An ISO 9001 Company • Printed in USA

