SATCO' NUVO

Project Name

Location

Prepared By



10A19/LED/RGB/TW/T20/SF

Notes

General	
Status	Active
Watts	10
Incandescent Equivalent	60
Volts	120V
Shape	A19
Base	Medium
ANSI Base	E26
Finish	White
CCT (Kelvin)	2700K-5000K
Temperature	Warm to Cool White/Color Changeable
CRI	90
Lumens	800
Beam Spread	220
Dimmable	Dimmable Only with Starfish App
Hours Rated	15000
Lamp Type	Туре А
Technology	LED
Smart Product Info	
IOT Enabled	Yes
Voice Assistants Supported	Siri; Alexa; Hey Google; SmartThings
Electrical	
Operating Frequency	60 Hz
epotating rioquonoy	
Specifications	
	Smart
Specifications	Smart 0.7
Specifications Dimming Type	
Specifications Dimming Type Power Factor	0.7 -20C (-4F) to a maximum of +45C
Specifications Dimming Type Power Factor Operating Temperature	0.7 -20C (-4F) to a maximum of +45C
Specifications Dimming Type Power Factor Operating Temperature Physical	0.7 -20C (-4F) to a maximum of +45C (+113F)
Specifications Dimming Type Power Factor Operating Temperature Physical MOL	0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57
Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD	0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36
Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.)	0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36
Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information	0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16
Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information Rated For Enclosed Fixture	0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16 No
Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance	0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16 No
Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing	0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16 No 3 Year Limited - 3 hr per day cULus
Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating	0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16 No 3 Year Limited - 3 hr per day
Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing	0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16 No 3 Year Limited - 3 hr per day cULus Damp
Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating Energy Star	0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16 No 3 Year Limited - 3 hr per day cULus Damp Yes
Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating Energy Star ES Unique ID	0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16 No 3 Year Limited - 3 hr per day cULus Damp Yes ESID-2368816

in f 🗸 🤊

Copyright 2020 Satco Products, Inc. All Rights Reserved For More Information Visit: <u>https://www.satco.com/</u>

FCC Compliant

SDS Sheet

Yes

LED_Lamp

Copyright 2020 Satco Products, Inc. All Rights Reserved

For More Information Visit: <u>https://www.satco.com/</u>

