SATCO NUVO

Project Name

Location

Prepared By



SATCO S11254

10A19/LED/RGB/TW/T20/SF

Notes

[uauai] 192222021 114-50-5

General	
General	
Status	Active
Watts	10
Incandescent Equivalent	60
Volts	120V
Shape	A19
Base	Medium
ANSI Base	E26
Finish	White
CCT (Kelvin)	2700K-5000K
Temperature	Warm to Cool White/Color Changeable
CRI	90
Lumens	800
Beam Spread	220
Dimmable	Dimmable Only with Starfish App
Hours Rated	15000
Lamp Type	Туре А
Technology	LED
Smart Product Info	
IOT Enabled	Yes
Voice Assistants Supported	Siri; Alexa; Hey Google; SmartThings
Electrical	
	60 Hz
Operating Frequency	60 Hz
Operating Frequency Specifications	
Operating Frequency Specifications Dimming Type	Smart
Operating Frequency Specifications	Smart 0.7
Operating Frequency Specifications Dimming Type	Smart
Operating Frequency Specifications Dimming Type Power Factor	Smart 0.7 -20C (-4F) to a maximum of +45C
Operating Frequency Specifications Dimming Type Power Factor Operating Temperature	Smart 0.7 -20C (-4F) to a maximum of +45C
Operating Frequency Specifications Dimming Type Power Factor Operating Temperature Physical	Smart 0.7 -20C (-4F) to a maximum of +45C (+113F)
Operating Frequency Specifications Dimming Type Power Factor Operating Temperature Physical MOL	Smart 0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57
Operating Frequency Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD	Smart 0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36
Operating Frequency Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.)	Smart 0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36
Operating Frequency Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information	Smart 0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16
Operating Frequency Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information Rated For Enclosed Fixture	Smart 0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16
Operating Frequency Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance	Smart 0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16
Operating Frequency Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing	Smart 0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16 No 3 Year Limited - 3 hr per day
Operating Frequency Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating	Smart 0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16 No 3 Year Limited - 3 hr per day cULus Damp
Operating Frequency Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating Energy Star	Smart 0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16 No 3 Year Limited - 3 hr per day cULus Damp Yes
Operating Frequency Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating Energy Star ES Unique ID	Smart 0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16 No 3 Year Limited - 3 hr per day CULus Damp Yes ESID-2368816
Operating Frequency Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating Energy Star ES Unique ID California Status	Smart 0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16 No 3 Year Limited - 3 hr per day cULus Damp Yes ESID-2368816 Lawful for sale in California
Operating Frequency Specifications Dimming Type Power Factor Operating Temperature Physical MOL MOD Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating Energy Star ES Unique ID	Smart 0.7 -20C (-4F) to a maximum of +45C (+113F) 4.57 2.36 0.16 No 3 Year Limited - 3 hr per day CULus Damp Yes ESID-2368816









FCC Compliant Yes SDS Sheet LED_Lamp





