# **Technical Information Bulletin** LED Linear Tubes



Date:	Name of distributor:	
In hands date of project:	Client #:	
Project name/Number:	Name of end user:	

#### **ORDERING INFORMATION**

Order code: 66993 Description: T5/13W/840/46/STD UPC: 69549669932 Case quantity: 25 DLC Unique ID: PLH6WC8C6WE1

## 2

Nominal length : 46 in. (1 168 mm) Dia. : 3/4 in. (19.5 mm)

#### PHYSICAL DATA

Shape: T5 G5 Base: Material: Glass

#### PERFORMANCE DATA

Bare lamp watts (W):	13	
System watts (W):	16	
Volts (VAC):	120 -277/347	
Colour temperature (K) <sup>1</sup> :	4 000	
Initial Lumens (Im) <sup>2</sup> :	1 850	
Initial lumens per watt (lm/W):	115	
Life L70 (hrs):	50 000	
CRI:	82	
Starting method:	Program Start	
Operating temperature range:	-25°C to 45°F (-13°C to 113°F)	

 $^1$  Typical colour temperature range: +/- 5 %  $^2$  Lumen values are derived from photometric testing. Initial lumens range: +/- 10 %



Please refer to the ballast compatibility list to confirm lamp compatibility with the existing luminaire.

### ADDITIONAL INFORMATION

THIS LAMP OPERATES ON PROGRAM START ELECTRONIC BALLASTS. Direct replacement for 28 watts lamps only.

Qty	Description	Price		
I accept the specifications of the luminaire configuration mentioned above.				
Name:				
Company:				
Signature:		Date:		
This lighting equipment complies with Canadia	in standard ICES-005 for use in residential applications.			

Data is based upon tests performed in a controlled environment and representative of relative performance. Actual performance can vary depending on operating conditions. Specifications are subject to change without notice.