


# Eaton XTOB100LC1

Catalog number: XTOB100LC1

Eaton XT IEC bimetallic overload relay, 70-100A overload range, 140 mm Frame size, 1NO-1NC contact configuration, used with 185-250A, 10A trip type



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton XT IEC bimetallic overload relay	XTOB100LC1
<b>EAN</b>	<b>Product Length/Depth</b>
4015082100711	5.67 in
<b>Product Height</b>	<b>Product Width</b>
6.65 in	5.04 in
<b>Product Weight</b>	<b>Compliances</b>
4 lb	CE Marked RoHS Compliant ATEX Compliant

## Certifications

UL Listed CSA Certified IEC 60947 EN 60947

## defaultTaxonomyAttributeLabel

### Frame size

140 mm

### Contact configuration

1 NO, 1 NC

### Overload range

70-100 A

### Type

XT IEC Bimetallic Overload Relay

### Used with

185-250A

### Trip type

10 A

## Resources

### Brochures

[C440 Electronic Overload Relay](#)

### Catalogs

[Eaton's Volume 5—Motor Control and Protection](#)

### Drawings

[XTOB\\_LC1 3D Inventor](#)

[XTOB\\_LC1 AutoCAD 2D Footprint](#)

[XTOB\\_LC1 AutoCAD 2D Footprint \(mm\)](#)

[XTOB\\_LC1 2D PDF](#)

[XTOB\\_LC1 2D Drawing Xchange](#)

[XTOB\\_LC1 3D Model Xchange](#)

### Multimedia

[Overcurrent Protective Device Games - Fuses, Breakers and Contactors Explained](#)

### Specifications and datasheets

[Eaton Specification Sheet - XTOB100LC1](#)

[Global Data Sheet - XTOB100LC1](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2022 Eaton  
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)