

Eaton XTRE10B31A

Catalog number: XTRE10B31A

XT IEC Control Relay, Screw terminals, 45 mm - standard Frame size, 3NO-1NC contact configuration, 110V 50 Hz, 120V 60 Hz coil, 10A conventional thermal rating, 6A at 220/230/240V; 4A at 380/400/415V rated operational voltage

General specifications



Product Name
Eaton XT IEC control relay

EAN
4015082763619

Product Height
2 in

Product Weight
.7 lb

Catalog Number
XTRE10B31A

Product Length/Depth
3 in

Product Width
3 in

Certifications
UL Listed

defaultTaxonomyAttributeLabel

Frame size

45 mm - standard

Contact configuration

3 NO, 1 NC

Coil voltage

110-120 Vac, 50/60 Hz

Type

Control relay

Terminals

Screw terminals

Rated operational current

4 A at 380/400/415 V

6 A at 220/230/240 V

Conventional thermal current

10A

Coil

110-120 Vac, 50/60 Hz

Resources

Catalogs

[Eaton's Volume 5—Motor Control and Protection](#)

Drawings

[XTRE 3D Inventor](#)

[XTRE 2D Drawing Xchange](#)

[XTRE AutoCAD 2D Footprint \(mm\)](#)

[XTRE 2D PDF](#)

[XTRE 3D Model Xchange](#)

[XTRE AutoCAD 2D Footprint](#)

Specifications and datasheets

[Eaton Specification Sheet - XTRE10B31A](#)

[Global Data Sheet - XTRE10B31A](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2022 Eaton
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)