

Eaton XTOM1P6AC1

Catalog number: XTOM1P6AC1

Eaton XT IEC control relay, XT IEC Miniature Overload Relay, 1-1.6A overload range, 45 mm - mini Frame size, 1NO-1NC contact configuration, Direct to contactor mounting, 10A trip type

General specifications



Product Name

Eaton XT IEC control relay

Catalog Number

XTOM1P6AC1

EAN

4015080144328

Product Length/Depth

1.85 in

Product Height

2.36 in

Product Width

2.56 in

Product Weight

.2 lb

Compliances

CE Marked ATEX Compliant RoHS Compliant

Certifications

UL Listed CSA Certified IEC 60947 EN 60947

Catalog Notes

Observe the maximum permissible fuse of the contactor with direct device mounting. Clearance of at least 5 mm is required between the overload relays when fitted directly to contactor.

defaultTaxonomyAttributeLabel

Frame size

45 mm - mini

Contact configuration

1 NO, 1 NC

Overload range

1-1.6A

Type

Control relay

Mounting method

Direct

Trip type

10 A

Resources

Catalogs

[Eaton's Volume 5—Motor Control and Protection](#)

Drawings

[XTOM AutoCAD 2D Footprint \(mm\)](#)

[XTOM 2D Drawing Xchange](#)

[XTOM 2D PDF](#)

[XTOM 3D Model Xchange](#)

[XTOM AutoCAD 2D Footprint](#)

[XTOM 3D Inventor](#)

Specifications and datasheets

[Global Data Sheet - XTOM1P6AC1](#)

[Eaton Specification Sheet - XTOM1P6AC1](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2022 Eaton
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)