

# **Safety Data Sheet**

Issue Date: 29-Oct-2014	Revision Date:	04-Nov-2014	Version 1
	1. IDEN	TIFICATION	
Product Identifier Product Name	Heat-Shrinkable Tubing		
Other means of identification SDS #	PAN-006		
Product Technology	EMI/RFI shielding, cable identification, corrosion	inkable polymeric products include primary electrica a jacketing and repair, strain relief, waterproofing, ca protection, environmental/mechanical protection, an a in commercial and military/aerospace electronic ap	ble/pipe d cable joining,
Recommended use of the chemica	I and restrictions on use	_	
Recommended Use	Heat-shrinkable tubing.	_	
Details of the supplier of the safety Supplier Address Panduit 18900 Panduit Dr. Tinley Park, IL 60487	<u>y data sheet</u>		
Emergency Telephone Number Company Phone Number	Phone: 708-532-1800 Fax: 708-532-1811		
Emergency Telephone (24 hr)	INFOTRAC 1-352-323-3 1-800-535-5053 (North )		
	2. HAZARDS	IDENTIFICATION	

**EMERGENCY OVERVIEW:** In common with most organic materials, thermal degradation and combustion byproducts may be toxic and should not be inhaled. Thermal degradation is not significant at temperatures achieved during proper installation, as directed by product installation guides. At temperatures higher than those recommended for proper installation, most significantly if the product burns, the thermal degradation and combustion byproducts will depend on the base polymer used, and additives, if any may include, but are not limited to carbon monoxide, carbon dioxide, organic acids, aldehydes (including formaldehyde), acetic acid, low molecular weight hydrocarbons, silicon dioxide, hydrogen chloride, hydrogen fluoride, hydrogen bromide, vinyl acetate, ammonia, hydrogen cyanide, antimony, fluoro-olefins, phosphine and oxides of nitrogen, phosphorus and sulfur.

Appearance Plastic tubing; molded parts in a variety of shapes, sizes & colors

Physical State Solid

# **Classification**

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

This product is a manufactured article. Heat-Shrinkable Polymeric Products are not hazardous during proper installation, but the heat-shrinkable tubing may emit hazardous thermal decomposition and combustion byproducts if overheated to degradation. See "Thermal Degradation and Combustion Byproduct" section of this SDS for more specific information. Base polymer materials include polyethylene and olefin copolymers. Heat-shrinkable products may be coated with or used in conjunction with adhesives/mastics, which are based on olefin copolymers or polyamides.

# 4. FIRST-AID MEASURES

First Aid Measures	
Eye Contact	None under normal use conditions. If eye irritation occurs, flush with clean water for 15 minutes while holding eyelids apart. Seek medical attention.
Skin Contact	First aid is normally not required. After handling product, it is good work practice to wash your hands. If molten material contacts skin, cool area immediately in water. DO NOT attempt to remove material from the skin. Treat as a burn, and seek medical attention.
Inhalation	If respiratory symptoms or other symptoms of exposure develop, move victim to fresh air. If symptoms persist, seek medical attention. If breathing difficulties develop, qualified personnel should administer oxygen. If victim is not breathing, immediately begin artificial respiration. Keep victim warm and quiet; seek immediate medical attention.
Ingestion	Not a normal route of exposure. However, if swallowed and symptoms develop, seek medical attention.
Most important symptoms and effe	cts
Symptoms	Overheating the product to charring or burning may produce vapors that may cause eye, skin, nose and throat irritation. Persons with pre-existing eye, skin, or respiratory disorders (e.g., asthma conditions) may be more susceptible to the effects of these vapors.
Indication of any immediate medica	I attention and special treatment needed
Notes to Physician	Treat symptomatically.
	5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use carbon dioxide, water, dry chemical or foam. Selection of extinguishing media should be based upon the size of the fire, the firefighting training/experience of the individual attempting to extinguish or control the fire, and the packaging materials exposed to the fire.

#### Unsuitable Extinguishing Media Not determined.

## Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

**Hazardous Combustion Products** In common with most organic materials, thermal degradation and combustion byproducts may be toxic and should not be inhaled. Thermal degradation is not significant at temperatures achieved during proper installation, as directed by product installation guides. At temperatures higher than those recommended for proper installation, most significantly if the product burns, the thermal degradation and combustion byproducts will depend on the base polymer used and additives, if any, may include but are not limited to carbon monoxide, carbon dioxide, organic acids, aldehydes (including formaldehyde), acetic acid, low molecular weight hydrocarbons, silicon dioxide, hydrogen chloride, hydrogen fluoride, hydrogen bromide, vinyl acetate, ammonia, hydrogen cyanide, antimony, fluoro-olefins, phosphine and oxides of nitrogen, phosphorus and sulfur.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Move containers from fire area if you can do it without risk. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fire. Cool containers with flooding quantities of water until well after fire is out.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective e	equipment and emergency procedures
Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
Methods and material for containn	nent and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Keep in suitable, closed containers for disposal.
	7. HANDLING AND STORAGE
Precautions for safe handling	

Advice on Safe Handling	For products containing a thermochromic temperature indicator, discontinue heating after the color changes from red to colorless. Avoid any vapors given off if the product is heated to decomposition, as shown by a darkening and browning of the sleeve. Avoid contact with molten material. Heat-resistant gloves are required if hot products are handled after installation. Do not consume food, beverages, or tobacco in the immediate work area. Wash hands before eating, drinking or smoking. Avoid heating products beyond temperatures required for normal installation.
	ensure that installation is performed properly. Ensure that any local requirements/legislation concerning the use of hand-held electrical equipment are observed. When using IR (infrared) heating devices, observe specific instructions. Do not touch hot surfaces on installation equipment.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	This product is stable under normal conditions.
Incompatible Materials	None known based on information supplied.
8. EX	POSURE CONTROLS/PERSONAL PROTECTION
Exposure Guidelines	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies
Appropriate engineering controls	
Engineering Controls	Provide general or local exhaust ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/Face Protection	Use safety glasses with side shield or goggles to prevent contact with eyes, as appropriate to the given operation.

Skin and Body Protection	Avoid contact with skin. Use heat resistant rated gloves to prevent skin contact; as appropriate to the given operation. If it is necessary to handle grossly overheated or fire-damaged products, wear natural rubber gloves to prevent possible contact with potentially corrosive acid residues.
Respiratory Protection	If installation occurs in a confined, unventilated area, NIOSH/MSHA-approved respirators are recommended.
General Hygiene Considerat	<b>ions</b> Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use and the hazards and/or potential hazards that may be encountered during use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Appearance P	Solid Plastic tubing; molded parts in a variety of shapes, sizes & colors Various	Odor Odor Threshold	Not determined Not determined
pHNMelting Point/Freezing PointNBoiling Point/Boiling RangeNFlash PointNEvaporation RateNFlammability (Solid, Gas)NUpper Flammability LimitsNLower Flammability LimitsNVapor PressureNVapor DensityNSpecific GravityNWater SolubilityinSolubility in other solventsNPartition CoefficientDAuto-ignition TemperatureNDecomposition TemperatureNNynamic ViscosityNExplosive PropertiesN	Values Not applicable Not determined Not applicable Not determined Not applicable Not determined Not applicable Not applicable Not determined Not determined Not determined Data not available Not determined Not data available No data available	<u>Remarks • Method</u>	

# **10. STABILITY AND REACTIVITY**

## **Reactivity**

Not reactive under normal conditions.

# **Chemical Stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

#### Hazardous Polymerization

Under normal conditions of storage and use, hazardous polymerization will not occur.

# **Conditions to Avoid**

Avoid overheating of product.

## Incompatible Materials

None known based on information supplied.

#### Hazardous Decomposition Products

See hazardous combustion products (Section 5).

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	
Eye Contact	Contact with molten material may cause thermal burns.
Skin Contact	This product is not expected to be a skin irritant. Contact with the molten material may cause thermal burns. No harmful effects are expected from skin absorption of this product.
Inhalation	In common with most organic materials, thermal degradation and combustion byproducts may be toxic and should not be inhaled.
Ingestion	Ingestion of this product is highly unlikely. There is insufficient information available on this material to predict the effects from ingestion.
Component Information	Mixture

# Information on physical, chemical and toxicological effects

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

#### Numerical measures of toxicity Not determined

Not determined

# **12. ECOLOGICAL INFORMATION**

## Ecotoxicity

The product is not expected to be hazardous to the environment.

#### Component Information

Mixture

#### Persistence/Degradability Not determined.

Bioaccumulation Not determined.

Mobility Not determined

# Other Adverse Effects

Not determined

# **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.
	14. TRANSPORT INFORMATION
Note	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated
	15. REGULATORY INFORMATION

## International Inventories

#### US Federal Regulations

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# US State Regulations

#### **California Proposition 65**

This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm; Antinomy trioxide CAS# 1309-64-4.

#### **U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated under applicable state right-to-know regulations

NFPA	Health Hazards	Flammability	Instability	Special Hazards
ыміс	Not determined Health Hazards	Not determined Flammability	Not determined Physical Hazards	Not determined Personal Protection
<u>HMIS</u>	Not determined	Not determined	Not determined	Not determined
Issue Date:	29-Oct-2014			
Revision Date:	04-Nov-	2014		
Revision Note:	New for	mat		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# **End of Safety Data Sheet**