

Contact/Phone:

# TRAC-MASTER®

Project:	_
Fixture Type:	_
Location:	_

Avant Garde

## **OPEN BACK SPOTLIGHTS**

T363 and T368

#### PRODUCT DESCRIPTION

The clean, functional lines of the open back allows maximum adjustability. Open Back Spotlights relamp from back and have floating socket mount and on/off switch. The minimum profile with stylized yoke design is ideal for retail and commercial applications.

Construction Die formed steel.

**Aiming** 90° vertical aiming capability and 358° rotation.

Labels UL listed, CSA certified.

Specifications subject to change without notice.



## Line Voltage PAR30


Lamp 120V, 75W maximum PAR30 medium base.

**Socket** Medium base porcelain with nickel plated copper screw shell.

Juno Universal Track Adapter Compatible with Juno Trac-Master 1 or 2-circuit systems or Juno Trac-Lites system • Copper alloy contacts provide precise spring action - no arcing and will not take a set • True, positive electrical ground • On/off switch included • Patented embossed polarity arrows on bottom of adapter • Spring-loaded positive latch with embossed polarity arrows secures track light to track • Two-position power contact provided for two-circuit application.

Catalog Number	Description	Finish	Lamp
T363 WH	Open Back w/Juno Universal Track Adapter	White	75W PAR30 max.
T363 BL	Open Back w/Juno Universal Track Adapter	Black	75W PAR30 max.

Other accessories can be found on specification sheet <u>D1.2.0</u>.



### **Line Voltage PAR38**

Lamp 120V, 150W maximum PAR38 medium base.

**Socket** Medium base porcelain with nickel plated copper screw shell.

Juno Universal Track Adapter Compatible with Juno Trac-Master 1 or 2-circuit systems or Juno Trac-Lites system • Copper alloy contacts provide precise spring action - no arcing and will not take a set • True, positive electrical ground • On/off switch included • Patented embossed polarity arrows on bottom of adapter • Spring-loaded positive latch with embossed polarity arrows secures track light to track • Two-position power contact provided for two-circuit application.

<b>Catalog Number</b>	Description	Finish	Lamp
T368 WH	Open Back w/Juno Universal Track Adapter	White	150W PAR38 max.
T368 BL	Open Back w/Juno Universal Track Adapter	Black	150W PAR38 max.
T368 NAT	Open Back w/Juno Universal Track Adapter	Natural	150W PAR38 max.

ACCESSORIES			
Cat. No.	Description	Cat. No.	Description
HCLBL 469	Hexcell Louver - Black	DCCF 469	Dichroic Color Correction Filter
CCLBL 469	Cube Cell Louver - Black	UVF 469	UV Filter
XBAFLBL 469	Cross Baffle - Black	<b>DIFF 469</b>	Diffusion Glass Lens
EYEBROWBL 469	Eyebrow - Black	SOLITE 469	Uniformity Lens (Solite)
SNOOTBL 469	Snoot - Black	PRISM 469	Prismatic Spread Glass Lens
CGF 469	Color Glass Filter	LSPREAD 469	Linear Spread Glass Lens
DGF 469	Dichroic Glass Filter	T40N1	Monopoint
0 .6 . 1		1 6 1 .6 . 1	21.00

See specification sheet <u>D1.2.2</u> for details. Other accessories can be found on specification sheet <u>D1.2.0</u>.

1 Add finish code to complete catalog number (Example: T40N WH).

