

Lighting

PHILIPS

T5 Standard

F35T5/84140PK

Philips T5 Fluorescent Lamps featuring ALTO[®] Lamp Technology offer increased energy savings and low toxicity in a slim profile.


Product data

| General Information | | | |
|------------------------------------|---------------------------------|--|--|
| Cap-Base | G5 [G5] | | |
| Features | HE Alto® [High Efficiency Alto] | | |
| | | | |
| Light Technical | | | |
| Color Code | 841 [CCT of 4100K] | | |
| Luminous Flux | 3,650 lumen | | |
| Color Designation | Cool White (CW) | | |
| Correlated Color Temperature (Nom) | 4100 K | | |
| Luminous Efficacy (rated) (Nom) | 94 lm/W | | |
| Color rendering index (CRI) | 82 | | |
| | | | |
| Operating and Electrical | | | |
| Power Consumption | 35.5 W | | |
| Lamp Current (Nom) | 0.175 A | | |
| | | | |
| Controls and Dimming | | | |
| Dimmable | Yes | | |
| | | | |

| T5 [16 mm (T5)] | | |
|-----------------|--|--|
| | | |
| | | |
| 1.4 mg | | |
| | | |
| | | |
| F35T5/841 40PK | | |
| 927992784022 | | |
| 1 | | |
| 40 | | |
| 927992784022 | | |
| F35T5/841 40PK | | |
| 2008410018842 | | |
| 046677230951 | | |
| | | |


T5 Standard


Dimensional drawing




| Product | D (max) | A (max) | B (max) | B (min) | C (max) |
|----------------|---------|------------|------------|------------|------------|
| F35T5/841 40PK | 17 mm | 1,449.0 mm | 1,456.1 mm | 1,453.7 mm | 1,463.2 mm |

Lifetime









Life Expectancy Diagram - F35T5/841 40PK

Lumen Maintenance Diagram - F35T5/84140PK

T5 Standard



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, November 6 - data subject to change