

**2024 Specification Sheet - English**

---

**LONG DESCRIPTION –**

---

**Long Description Marketing Copy**

Measures AC+DC current and DC microamps. AC and AC+DC voltage measurements with digital filter low pass for accurate readings on variable frequency drives. Also allows linemen to measure DC voltage, resistance, capacitance, temperature and frequency. Tests continuity and diodes

**PRODUCT NAME –**

---

**Page Title**

Clamp Meter, AC/DC (CMI-600) (POP)

**PRODUCT OVERVIEW –**

---

**Marketing Text 1**

Measures AC+DC current and DC microamps

**Marketing Text 2**

AC and AC+DC voltage measurements with digital filter low pass for accurate readings on variable frequency drives

**Marketing Text 3**

Also allows linemen to measure DC voltage, resistance, capacitance, temperature and frequency

**Marketing Text 4**

Tests continuity and diodes

### **Marketing Text 5**

Phase Sequence & Motor Rotation tests

### **Marketing Text 6**

Peak-RMS measures motor in rush current

### **Marketing Text 7**

Backlight & relative mode for added versatility

### **Marketing Text 8**

AmpTip™ increases accuracy on small wires and low current

### **Marketing Text 9**

Two voltage detection modes - non-contact or using a single test lead

### **Marketing Text 10**

Data hold

### **Marketing Text 11**

Measurement tool accurately records Maximum, Minimum, and Average readings

### **Marketing Text 12**

Lifetime warranty

## **PRODUCT SPECIFICATION –**

---

### **Product Specification 1**

Amperage Measurement : 60, 600 Amps AC+DC

### **Product Specification 2**

Display : LCD, 6000 Count

### **Product Specification 3**

Frequency Rating : Voltage and AmpTip™ current: 50/60 Hz. High current: 50 to 400 Hz

### **Product Specification 4**

Includes : (2) 1.5V AAA batteries, test leads and clips, carrying case

### **Product Specification 5**

Jaw Opening : 1.18" (30 mm)

### **Product Specification 6**

Measurement Category : CAT III 600V, CAT IV 300V

### **Product Specification 7**

Replacement Part : 02714 test leads and clips, TC-10 carrying case

### **Product Specification 8**

Resistance Measurement : 600, 6k, 60k Ohms

### **Product Specification 9**

Standard : CAT III, C/US UL Listed, CE

**Product Specification 10**

True Power : AC+DC True RMS

**Product Specification 11**

Voltage Measurement : 600 Volts AC+DC