



PEN terminal thermoplast PA6.6, Screw terminal both sides, green-yellow, 16mm
Sz. 35



Model	
product brand name	ALPHA
product designation	PE through-type terminal
General technical data	
insulation material	thermoplastic
terminal contact spacing	16 mm
Protection class	
combustibility class according to UL 94	V2
Appearance	
color	green-yellow
Product details	
product feature PEN function	Yes
product component required end cover plate	No
Number	
number of terminal levels	2
number of terminal points per terminal level	1
Connections	
stripped length	17 mm
connectable conductor cross-section solid	
• maximum	35 mm ²
connectable conductor cross-section stranded	
• maximum	35 mm ²
connectable conductor cross-section finely stranded	
• with core end processing maximum	35 mm ²
• without core end processing maximum	35 mm ²
tightening torque with screw-type terminals	
• minimum	2.5 N·m
• maximum	2.5 N·m
type of connection 1	screw-type terminal
type of connection 2	screw-type terminal
position of the terminal	lateral
Mechanical Design	
height with lowest-profile installation	50 mm
length	53 mm
fastening method	DIN rail 35 mm
net weight	92 g
material of the insulating body	Thermoplastic
Environmental conditions	
ambient temperature during operation	
• minimum	-25 °C

Approvals Certificates

General Product Approval	other	Environment
<p>Confirmation</p>  	<p>Miscellaneous</p> <p>Confirmation</p>	<p>Environmental Con- firmations</p>

Environment

[Environmental Con-
firmations](#)

Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WA1011-1PM00>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/8WA1011-1PM00>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WA1011-1PM00
- CAX-Online-Generator
<http://www.siemens.com/cax>
- Tender specifications
<http://www.siemens.com/specifications>

last modified: 10/6/2021 