

TECHNICAL DATA SHEET

Low voltage cable support bracket CIMLV-1

Iberville®

The low voltage cable support bracket CIMLV-1 is designed for installation of Class 2 cables in new construction, on either wood or steel stud, with ½" drywall

Certifications / Standards:

Features & benefits:

- One screw installation option
- Can be installed to front or side of the stud
- Provides solid means for mounting Class 2 outlets
- Smooth outline to guide and ease drywall cutting
- "E" shape supports the cables behind the drywall and helps prevent damage when cutting the opening in the drywall

Applications:




- For low voltage class 2 wiring only
- Can be installed on wood or metallic studs
- Designed for new construction
- "E" shape can support up to three Class 2 cable. With the use of a cable tie, the "E" shape can support up to six Class 2 cable
- Suitable for low voltage cable types: Ethernet cables, Coaxial, USB cable, HDMI and others

Conforms to:

- CSA C22.2 No.18.1-13
- UL 514A


Material / Finishes:

- Pre-galvanized steel



FICHE TECHNIQUE

Support de câbles basse tension CIMLV-1

Iberville^{MD}

Le support de câbles basse tension CIMLV-1 est conçu pour l'installation de câbles de classe 2 dans les nouvelles constructions, sur des colombages en bois ou en acier, avec des cloisons sèches de 1/2 ".

Certifications / Standards:**Caractéristiques:**

- Option d'installation à une vis
- Peut être installé à l'avant ou sur le côté du colombage
- Fournit un moyen solide pour le montage d'une prise de classe 2
- Contour lisse pour guider et faciliter la découpe de la cloison sèche
- La forme « E » soutient les câbles derrière la cloison sèche et empêche les dommages lors de la découpe de l'ouverture dans la cloison sèche

Applications:

- Pour le câblage basse tension de classe 2 uniquement
- Peut être installé sur des poteaux en bois ou en métal
- Conçu pour une nouvelle construction
- La forme en « E » peut supporter jusqu'à trois câbles de classe 2. Avec l'utilisation d'un attache câble, la forme en « E » peut supporter jusqu'à six câbles de classe 2
- Convient aux types de câbles basse tension : Ethernet, Coaxial, USB, HDMI et autres

Conforme à:

- CSA C22.2 No.18.1-13
- UL 514A

Matériau / Finitions:

- Acier pré-galvanisé

