

CLEARGLIDE® AEROSOL WIRE PULLING LUBRICANT



IDEAL
electrical™

SCAN TO SEE
ALL IDEAL® WIRE
INSTALLATION
PRODUCTS



CLEARGLIDE® AEROSOL

Our most popular wire lubricant is now available in a compact, no-mess aerosol spray. Clearglide Aerosol packs 4X the lubricant of our quart-sized bottle into a slim, tool bag-friendly can. Perfect for indoor and retrofit wire pulls, the advanced polymer-based formula expands into a no-mess foam that wipes clean from hands, clothes, and surfaces. Easily apply the spray using the built-in precision nozzle and applicator tube for 360° coverage — even in vertical or overhead conduit. Keep your jobsite clean, your tool bag light, and your wire pulls smooth with Clearglide Aerosol.

Features:

- **COMPACT & CONVENIENT:** One slim can delivers the same coverage as up to 4 quart bottles of standard Clearglide, freeing up bag space
- **NO-MESS FORMULA:** Keep your jobsite clean - this colourless foam lubricant easily wipes free from hands, clothes and surfaces*
- **PRECISION NOZZLE:** New nozzle with 7-inch applicator tube allows you direct control over where lubrication goes, minimizing waste
- **EASY APPLICATION:** Quick and easy to apply, even in vertical or overhead conduits where traditional gel or liquid lubricants can be difficult to deploy**
- **WIDE COVERAGE:** Foam lubricant expands to fill the conduit, providing 360° coverage
- **ADAPTABLE:** Polymer-based formula is great for all indoor and retrofit pulls for multiple cable types, remaining stable from 0°C - 50°C (32°F - 122°F)



Ease of Application
Actuator and tube for precise control, resulting in reduced waste

Space Saving
One slim can holds the equivalent of up to four quart sized bottles



LESS MESS
PRECISE APPLICATION



CABLE COMPATIBILITY
FOR A RANGE OF PROJECTS



SAME COVERAGE
AS UP TO 4 QUART BOTTLES

CLEARGLIDE® WIRE PULLING LUBRICANT

PART

Aerosol Spray Can	31-387
1-Quart Squeeze Bottle	31-388
1-Gallon Bucket	31-381
5-Gallon Bucket	31-385



**SCAN FOR
FREQUENTLY
ASKED
QUESTIONS**

P-6087 (5-25)
©IDEAL INDUSTRIES, INC.

*Must wash hand with soap, and wash clothes with standard detergents to prevent stains

**For best results when applied vertically, insert tube 4-6 inches, hold spray button for 2-3 second, then begin pulling.

IDEAL CUSTOMER SERVICE:
orderdesk@idealindustries.com
1-800-824-3325
idealind.com

IDEAL
electrical™