



PRODUCT-DETAILS

# TU508-ETH

Interface terminal unit. For Ethernet protocols. Spring terminals (TU508-ETH)



## General Information

Extended Product Type	TU508-ETH
Product ID	1SAP214000R0001
ABB Type Designation	TU508-ETH
EAN	4016779649612
Catalog Description	Interface terminal unit. For Ethernet protocols. Spring terminals (TU508-ETH)
Long Description	TU508-ETH: S500 Interface terminal unit. For Ethernet protocols. Spring terminals. 2 RJ45 connectors.

## Ordering

CN8	85389091
Invoice Description	Interface terminal unit. For Ethernet protocols. Spring terminals (TU508-ETH)
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece

## Dimensions

Product Net Weight	0.168 kg
Product Net Depth / Length	28 mm
Product Net Height	135 mm
Product Net Width	67.5 mm
Gross Weight	0.2 kg
Package Level 1 Depth / Length	147 mm
Package Level 1 Height	40 mm
Package Level 1 Width	78 mm
Package Level 1 Units	1 carton

## Certificates and Declarations

Declaration of Conformity - CE	3ADR980140
REACH Date	20241206
REACH Declaration	3ADR980139
REACH Information	True - contains substances > 0.1 mass percentage
SCIP	f1c51aad-1de0-4120-827a-874c3b22f529 Germany
RoHS Date	2010
RoHS Declaration	3ADR980140
RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

## Technical

Function	For Ethernet protocols. Spring terminals
Degree of Protection	IP20
Supply Voltage	24 V DC
Ambient Air Temperature	Operation 0 ... +60 °C Storage -40 ... +70 °C

## Additional Information

Product Main Type	TU508
Product Name	Distributed Automation I/Os

## External Classifications and Standards

eClass	27-24-22-92
ETIM 8	EC000810 - PLC mounting rack
ETIM 9	EC000810 - PLC mounting rack
ETIM 10	EC000810 - PLC mounting rack
UNSPSC	32151703

## Environmental

WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---

## Categories

---

PLC Automation → Programmable Logic Controllers PLCs → AC500 → Communication interface modules

